



**CDMTCS**




**Research**




**Report**

**Series**




**Computational universes**




**Karl Svozil**

University of Technology, Vienna



CDMTCS-216

May 2003



Centre for Discrete Mathematics and  
Theoretical Computer Science

# Computational universes

Karl Svozil\*

*Institut für Theoretische Physik, University of Technology Vienna,*

*Wiedner Hauptstraße 8-10/136, A-1040 Vienna, Austria*

## Abstract

Suspicious that the world might be some sort of a machine or algorithm existing “in the mind” of some symbolic number cruncher have lingered from antiquity. Although popular at times, the most radical forms of this idea never reached mainstream. Modern developments in physics and computer science have lent support to the thesis, but empirical evidence is needed before it can begin to replace our contemporary world view.

PACS numbers: 05.65.+b,02.50.-r,02.60.-x

Keywords: Cellular automata, digital physics

---

\*Electronic address: [svozil@tuwien.ac.at](mailto:svozil@tuwien.ac.at)

## I. HISTORICAL NOTES

In a broad context, the development of rationalism, the enlightenment and science can be perceived as an awakening from the illusory world of the senses (*Maya* in Sanskrit); as a growing awareness that "facts" which once were perceived as self-evident turned out to be utterly wrong. Humanity once took it for granted that it was located at the epicentre of the Universe. A closer inspection revealed that there is no ground to claims of any preference in location: Earth is conveniently situated in a solar system of a remote part of our galaxy, which in turn is part of a group of galaxies and of the physical Universe as we perceive it today. People also trusted that their bodies are made-up of solid stuff. Later on they learned that, as their bodies consist of atomic and sub-atomic "point" particles, things only appear to be solidly filled, but in another perspective, space is "almost empty." Time turned out to be relative to the motion of observers, and single "particles" such as photons and neutrons, seemed to be at two or more spatial positions at once. On another issue, people previously thought that they have been created in a different way than other species. As it turned out, from a biological point of view, mankind evolved and spread just like locusts and everyone else around. This is corroborated not only by phylogenetic evidence, but by analysis of the very DNA code that constitutes the genetic heritage and blueprint of our ancestors and of all living beings. Indeed, the DNA itself turns out to be a biochemical code running on cellular computers to the effect of creating, maintaining and reproducing the organism of which it is a part.

Further disillusionments may lie ahead. Consciousness is still an "undiscover'd country," and maybe it is just a manifestation of neuronal brain functions. Or, consciousness may be just the opposite: transcendental. Despite the achievements of Freud, certain dream phases are barely understood. Artists have speculated that we are "fleshware" units inside of a simulation-computation-game that appears gigantic or even infinite to us. Who knows, we might have even paid for to live a life in the twenty-first century in a beyond fair. That is to say, we might be embedded in a literal "game" that we chose to pass the time. To make things more realistic, all memories of the our life in the beyond might have been erased from our immediate memories [118]. Maybe the "meaning" of our world is rather trivial; like the simulation of marketing measures for a beyond world [119]. As computers have begun to permeate our societies, it is no wonder that the "universe as a computer" metaphor for the physical Universe has attracted increasing attention. Perhaps some day our own technology could achieve such visions, and put it to our practical use [120].

In antiquity, Pythagoras (6th cent. B.C.) "*considered numbers as the essence and principle of*

*all things, and attributed to them a real and distinct existence; so that, in his view, they were the elements out of which the universe was constructed*” (from Bulfinch [1]). Plato’s (c. 427- c. 347 B.C.) emphasis in geometry, in particular his dictum “*God geometrizes*” [121] was interpreted by Gauss (1777-1855) as “*o theos arithmetizei,*” or “*God computes.*” The vision of a clockwork universe is probably best characterized by the (probably apocryphal) story, that when Laplace was asked by Napoleon how God fitted into his secular system of *Mécanique Céleste*, he replied [2, p. 538], “*I have no need for that hypothesis*” [122].

In his famous lecture delivered before the International Congress of Mathematicians at Paris in 1900, Hilbert (1862-1943) enumerated twenty-three problems, among them the compatibility of the arithmetical axioms (# 2), the mathematical treatment of the axioms of physics (# 6), and the determination of the solvability of a diophantine equation (# 10) [123]. Gödel (1906-78), as well as Turing (1912-54) contributed towards the (negative) solution of # 2 & # 10. They pursued a formalization of mathematics by coding of axiomatic systems, either by the uniqueness of prime factorization or by their representation as (universal) computer programs [124].

For the first time in human history, we are able to articulate precisely what we mean when discussing computations. Turing’s universal computer model is modelled after the syntax of everyday pencil and paper operations which children learn at school. The paper lines are unwound into a tape, and whatever rules there are for computing can be represented by the combination of tape, finite memory and simple read-write operations of the Turing machine.

The notion of universal computation is *robust* in the sense that any universal computer can emulate any other universal computer (regardless of efficiency and overhead), so that it does not really matter which one is actually implemented. In a sense, the entire class of universal computer counts as a single computer, because they are all equivalent with respect to algorithmic emulation of one another.

Robustness is a very important concept for the matter of computational universes, because it is not really important on which particular models or hardware these universes are implemented; they are all in the same equivalence class. Apart from the translation from one coding scheme to another, each one of them is equivalent to the entire class. So, when it comes to their generic properties, it is not really important whether automaton universes are modelled to be Cellular Automata, Turing Machines, colliding billiard balls [3], or biological substrates. All of this means that one is free to choose whatever computational model suits best the particular purpose one has in mind.

Gödel, Tarski, Turing and Chaitin, among others, revealed that, stated pointedly, mathematical “truth” extends formal “provability.” Mathematics is incomplete, and there always will be true theorems about a particular formal system of axioms (sufficiently rich to contain arithmetic), such as consistency, which are not provable “from within” that system [125].

Wigner considered “*the unreasonable effectiveness of mathematics in the natural sciences*” [4], which is usually taken for granted but which, upon inspection, seems unfounded. One obvious solution to this bewilderment seems to be the Pythagorean assumption that numbers are the elements out of which the universe was constructed; and what appears to us as the laws of Nature are just mathematical theorems or computations. Notice that, whereas Gödel once and for all settled the question of a complete finite description of mathematics to the negative, the question of whether or not a finite mathematical treatment of the axioms of physics exists (Hilbert’s problem # 6) remains open.

Another thread was opened by Edward Moore. Puzzled by the quantum mechanical feature of complementarity, Moore conceived a finite deterministic model of complementarity capable of being run on a computer [5, 6]. This formalization of complementarity, not in terms of Hilbert space quantum mechanics, but by constructive algebraic, even finitistic, means, may be perceived as the continuation of the Turing program to formalize the notion of “algorithm” or “computation” by conceptualizing it as a concrete machine model.

In another development, Von Neumann (preceded by Ulam [7]) constructed a two-dimensional cellular array of finite deterministic automata which are connected to their neighbors such that the state of each one of these automata is determined by the previous states of itself and of its neighbors [8]. He was able to show that such cellular automata (CA) could not only be in the robust class of universal computers, but that entities inside such arrays could reproduce themselves by holding their own descriptive code and the algorithmic means to construct identical copies of themselves.

Stimulated by Von Neumann’s concept of CA, Konrad Zuse, the creator of one of the first general purpose digital computers, suggested to look into the idea that physical space itself might actually be such a “calculating space” (“Rechnender Raum”) [9–11]. In this view, the physical objects exist as computational entities immersed in such a computational medium. Zuse became fascinated by the idea of going beyond quantum mechanics in discretizing physics [126], a vision he shared with the late Einstein [127] and many researchers, among others Fredkin, Toffoli, Margolus, and Wolfram.

Fredkin and Toffoli investigated reversible CA, in which the global temporal evolution can be inverted uniquely. That is, any CA configuration has a unique predecessor and a unique successor. Note that, if the evolution is a bijective map; i.e., is one-to-one for every single cell, then the global array is a reversible CA as well. (The converse need not be satisfied.) For a concise account [128] the reader is referred to the reviews by Toffoli & Margolus [12], Fredkin [13] and Wolfram [129]. In a reversible world, nothing is lost or gained; and all revelations are permuted back and forth. In this sense, the very concept of question and answer, of problem and solution, of past, present and future, and thus of a directed “lapse of time,” remains relative, subjective and conventional [14].

## II. INTRINSIC RANDOMNESS AND UNDECIDABILITY

Contemporary theoretical physics postulates at least three types of randomness: (i) the “chaotic” randomness residing in the initial conditions, which are assumed to be “drawn” (*via* the postulated axiom of choice) from a “continuum urn.” Almost all elements of the continuum are nonrecursively enumerable and even random; i.e., algorithmically incompressible [15–17]; (ii) the random occurrence of individual quantum events such as a detector click; (iii) complementarity; i.e., the impossibility to measure two or more observables with arbitrary precision at once.

### A. Computational complementarity

As already mentioned, Moore [5] invented (parts of) finite automata theory to formalize and model physical complementarity. Research in this area became totally separated from its original physical perspective and developed into a beautiful algebraic theory of its own [18]. Finkelstein [19] rediscovered Moore’s paper and coined the term “computational complementarity.” Its concrete logico-algebraic structure has been investigated by the author in a series of papers with C. and E. Calude, Khossainov, Lipponen, Schaller and others [20–23], also in the context of reversible computation [24, 25]. Automaton logic turns out to be logically equivalent [26] to generalized urn models [27, 28], indicating that the associated logico-algebraic structure is more robust than could be assumed from those single model types alone.

Arguably, the simplest automaton model featuring complementarity is a finite (Mealy) automaton in which the sets contain three internal states  $S = \{1, 2, 3\}$ , three input symbols  $I = \{1, 2, 3\}$ ,

and two output symbols  $O = \{0, 1\}$ . Let, for  $s \in S$ ,  $i \in I$ , the (irreversible “guessing”) output function be  $\lambda(s, i) = \delta_{si}$ . The (irreversible) transition function just steers the automaton into a state corresponding to the input symbol; i.e.,  $t(s, i) = i$ . The problem of finding an unknown initial state by analysis of experimental input–output sequences yields a partitioning of the internal states  $\{\{1\}, \{2, 3\}\}$ ,  $\{\{1, 3\}, \{2\}\}$ , and  $\{\{1, 2\}, \{3\}\}$ , according to the input 1, 2, and 3, respectively. Every one of the partitions constitutes a Boolean algebra whose elements are comeasurable. The pasting of these three Boolean algebras along their common elements (in this case just  $\emptyset$  and  $\{\{1, 2, 3\}\}$ ) yields a nonclassical, nondistributive logical structure  $MO_3$ , which is also realized by the algebra of propositions associated with the electron spin state measurements along three different directions.

A systematic investigation shows that the logico-algebraic structures arising from computational complementarity are very similar to those encountered in quantum logics [23, Sec. 3.5.2]. In particular, any finite quantum (sub-)algebra can be represented as an automaton logic and thus can be modelled with a finite automaton. Clearly, infinite quantum structures, such as the continuous “Chinese lantern” lattices  $MO_c$  involved in electron spin state measurements in continuous directions, or quantum contextuality, cannot be modelled with a finite automaton.

Although computational complementarity will not be reviewed any further here, it should be mentioned that Moore conceptualized input/output experiments on finite automata, making a distinction between “intrinsic” cases where only one automaton is available, and those in which an arbitrary number of identical copies are accessible. In the latter case, there is no complementarity, because after any experiment it is always possible to dispose of the used automaton and get a fresh automaton copy for further experiment(s).

The intrinsic, embedded, case is the one experienced in physics, because the observer cannot escape and always is part of the (“Cartesian prison” [29, Meditation 5,15]) system. Due to restrictions in copying and cloning, it is not possible, for instance, to obtain an identical copy of a single photon or electron in a nonclassical state. And only in the single automaton case there is a chance to experience complementarity, for only in this case it may happen that, after answering to some query, the automaton undergoes an irreversible transition, making it impossible for the experimenter to probe a different observable (and *vice versa*). Reversibility does not change the picture, since if both the observer and the observed object were immersed in a reversible environment, then the experiment could be “undone” and the original automaton state reconstructed only at the price of losing all the information gathered so far [30]. This is an analogue to the quantum

eraser experiment [31] and other setups (e.g., [32]) developed for demonstrating the feasibility of a reconstruction of quantum states.

Bear in mind that complementarity is not only a feature of exotic finite models which were specially crafted for this particular purpose. Since these finite models represent a subset of objects that can be simulated by any universal computer, such as a CA or a Turing machine, complementarity is, in a sense, a generic and robust property of all computational universes.

## **B. Intrinsic undecidability**

The quest to translate Gödel-Turing type recursion theoretic undecidability into physics has a long history. Gödel himself did not believe that his results have any relevance for physics, at least not for quantum physics [130]. Early on, Popper speculated about limits of forecast in the light of these findings [33]. More recent undecidability results are based on physical configurations which are provably unsolvable through the reduction to the halting problem (e.g., [34–36]).

Indeed, since the Turing machine is modelled after a paper and pencil real world scenario, universal computers can be embedded into certain physical systems capable of universal computation. Undecidabilities can then be obtained almost as a “free lunch;” i.e., by reduction to the recursive unsolvability of certain prediction problems, such as the halting problem.

So, why do people such as Casti [131], who had been very interested in the subject, consider this issue as a “red herring?” Maybe because so far not a single problem of relevance in physics not constructed for this particular purpose is provably undecidable.

## **C. Continuum *versus* discrete physics**

The conceptualization of the number system—from just a few finger counts to the natural numbers, the integers, rationals, reals [37] and further on to complex numbers, quaternions and hyperreals is undoubtedly one of the most beautiful and greatest achievements of humanity. Nevertheless, as more and more abstractions enter these great patterns of thought, one is compelled to question their practical physical relevance. Clearly, for instance, infinite divisibility (from the rational onwards) and continuity (from the reals onwards) find strong pragmatic justifications by their applicability to almost all branches of theoretical physics, including quantum mechanics. Even so, some doubts as to the appropriateness of transfinite concepts in physical modelling re-

main [38]. Let us state the following correspondence principle between physical phenomena and their models [39]: *every feature of a computational model should be reflected by the capacity of the corresponding physical system. Conversely, every physical capacity, in particular of a physical theory, should correspond to a feature of an appropriate computational model.*

Nature does not seem to allow Zeno squeezing [20, 24, 40–46] and other transfinite processes. It could therefore be conjectured that, as physical systems do not possess adequate transfinite capacities, only finite computational models ought to be acceptable for theoretical modelling. This still admits universal computation and finite automata, but it wipes out classical, nonconstructive continua.

Having said this, there may be some indication of absolute randomness involved in certain quantum measurements, though. Suppose a single electron is prepared in a particular spin state in one direction  $\theta_p$ . Assume further that its spin state is not measured in this particular direction, but in another direction  $\theta_m$ . Then quantum mechanics predicts that the probability that identical spin states are measured is  $\sin^2[(\theta_p - \theta_m)/2]$ ; for non-identical result the probability is  $1 - \sin^2[(\theta_p - \theta_m)/2] = \cos^2[(\theta_p - \theta_m)/2]$  (classically, one would expect linear dependencies on the measurement angles, such as  $|\theta_p - \theta_m|/\pi$  and  $1 - |\theta_p - \theta_m|/\pi$ , respectively). Moreover, quantum mechanics postulates that these outcomes are stochastic and cannot be reduced to some form of microscopic law governing the single measurement outcomes. At  $\theta_p - \theta_m = \pi/2$ , a series of such experiments, when coded into a 0,1-sequence, is postulated by the quantum mechanical canon to render an algorithmically incompressible random sequence [47]; a fact which can be used to construct a plug-in device [48]; just like another card which can be inserted into a computer and facilitates the desired function, in this case the production of random data.

Here seems to be a physical source of absolute randomness [15–17] which appears almost totally “free” of any computational costs. Just detune preparation and measurement to attain the goal of a perfect random number generator. Indeed, this quantum postulate of microphysical randomness seems to be a remarkable fact, in particular since randomness is a valuable resource which, in the context of universal computation, cannot be obtained “for nothing.” Although “almost all” reals are random, it is hard (indeed impossible) to come by any concrete element with that property. The closest one could get may be Chaitin’s  $\Omega$  number, which is the Kraft sum of the length of all prefix-free halting programs on some universal computer (see [15–17] for details). It is even possible to write down a finite program for computing the first bits of  $\Omega$ , but for better precision there is no computable radius of convergence certifying that a particular finite sequence is the

starting sequence for  $\Omega$ . In that respect  $\Omega$  resembles Specker's sequence of rational numbers with non-recursive limit, or the Busy Beaver function [49–51].

So, is every electron a point particle capable of transfinite computations? While electrons do not seem to possess any capacity of universal computation at all, they appear just to be perfect random number generators. That is indeed amazing! Maybe we just have not listened carefully enough when crafting the computational models appropriate for physics. Is Turin's universal computer model, appended with an additional "random oracle" plug-in, sufficient?

In another scenario, an electron might just be coded to carry the answer to a single question; e.g., related to its spin state in a particular direction. If requested to answer a different question, such as about its spin state in a different direction, it might just churn out random nonsense [52] according to Malus' law [53, 54]. Or, it may need an interface, an environment or measurement apparatus translating the observer's question to the language (or question) understandable by the object [25, 30], thereby introducing stochastic noise by uncontrollable macroscopic processes. So far, these are all metaphysical speculations which need to be sorted out by operational means, i.e., by experiment.

#### **D. Nonlocality & contextuality**

Quantum nonlocality is a phenomenon which can be quite easily described, yet remains mysterious. Consider again the spin state measurements of electrons. Let us assume that it is possible to produce two particles in a singlet state, such that, when their spin is measured along an arbitrary but identical direction, their spin states are opposite. Now, consider the correlation of their spin states when measured along arbitrary but different directions. As it turns out, if the directions are different from 0 and from integer multiples of  $\pi/2$  or  $\pi$ , the quantum correlations are either weaker or stronger than the classical correlations. This is related to the difference of the aforementioned quantum probabilities *versus* the classical ones. In terms of elementary physical events, one obtains more or fewer joint clicks in the detectors measuring the spin states than would be conceivable classically for any such state. The doctrine of "peaceful coexistence" between relativity theory and quantum mechanics [55] assures that this feature cannot be used for faster than light quantum signalling [56–58].

Can CA with local neighbourhood cell evolution reproduce quantum-type nonlocality? That seems to be a hard problem, in particular if one clings to the idea of evolution functions which only

depend on the neighbourhood, a property which surely seems to be a constituent element in the definition of CA. Indeed, with regards to nonlocality, little convincing evidence and comfort has been given so far by the CA community. Zuse mentions the chess metaphor of the bishop, a piece which can move in single-colour diagonal direction only, thereby exerting a nonlocal influence on the entire chessboard [11]. But how could the entire chessboard know of the bishop's motion if information can only propagate by one cell per time step? Considering quantized cells is no solution, because the quantum nonlocalities introduced by proper normalization of the entire ray wave function comes as no surprise [59]: quantum behaviour of a quantized system is indeed to be expected.

Another, entirely different and radical possibility would be to give up the notion of “calculating space” and consider a computational substratum which is nonlocal from the very beginning. In this approach, the cellular space does not correspond to anything which is spatially extended from a physical point of view, such as the tessellated configuration space Zuse had in mind. Rather, it might be some kind of generalized phase space, in which physical states are discrete. This resembles the “old” quantum mechanics of Planck and Einstein [132] and known as Bohr-Sommerfeld “quantization.”

Contextuality is another controversial issue which is discussed in the quantum context [60]. One may argue that as it cannot be operationalized anyway, contextuality is a property of almost pure theoretical value, such as counterfactuals or scholastic *infuturabilities*. In continuum theory, there are “exotic” ways to come by [61, 62], but this is no option for a discrete model. At first sight, classical computers seem to be value definite and noncontextual, but a closer inspection reveals that there are subtleties to be kept in mind. Value definiteness need not imply that an agent is prepared to answer *any* experimental question. Indeed, in contradistinction to Kant's transcendental ideal [133], and scholastic, theological speculations whether or not the omniscience of God extends to events which would have occurred if something had happened that did not happen, which have been so powerfully formalized into a finitistic proof (cf. [63, p. 243] and [64, p. 179]), some properties may not be properly definable for certain computational agents, and therefore may not be operational. For example, if an agent trained to wash dishes is confronted with the task to write a book on hiking trails in New Zealand's Waitakere ranges, it will most certainly be at a complete loss. Or an agent advised to direct some parties to a path on the right hand side when asked for right or left, will most certainly be at a loss when asked whether to proceed up or down. The agent simply would not be programmed and thus not be prepared to answer any type of question, but

rather only a small selection from among all conceivable questions.

### III. INTRINSIC, EMBEDDED OBSERVER MODE

Computational complementarity and undecidability in general are good examples of how the science of systems may enter physics. Unless one accepts the concept of an “intrinsic embedded mode,” computational complementarity disappears into thin air. And since system science seems foreign to most physicists, it is hard to see if and when such concepts will be more broadly comprehended.

As with all general concepts, it is hard to pinpoint when exactly the concept of an intrinsic embedded observer was formulated for the first time [134]. Boskovich [65] around 1755 referred to the fact that embedded observers cannot recognize an overall change (squeeze, dilatation and contraction) of the system size [135]. More recently, Toffoli [66] discussed the role of the observer in uniform systems. Embedded observers are *the* big issue in relativity theory, because Einstein insisted on operational methods available within the system only in defining clocks, length scales, and when comparing them [136]. Rössler [67, 68] and the author [20, 69–72], independently share similar concepts, although Rössler’s emphasis has been on the role of the interface between observer and observed object [73] rather than on concrete examples of automaton logic or space-time frames [137].

### IV. SPACE TIME FRAMES OF INTRINSIC OBSERVERS

Relativity theory has altered the way we think of space and time from a formal point of view, but the perception of space and time at large, and what meaning is ascribed to these notions, has not changed too much: while pre-relativistic “Galilean” type thinking considered space and time as absolute and immutable, nowadays this role is ascribed to the relativistic forms of space time coordinates and their transformation laws. It is almost as if the attitude of the protagonists remained the same, but their message changed slightly.

Relativity theory, as introduced by Einstein, at least in the first, cinematic, part of the seminal 1905 paper [74], is conceived as a strictly operational theory for embedded, intrinsic observers. Those observers are bound to use the methods and capabilities of the system of which they are an integral part; and they cannot resort to an extrinsic, “God’s eye” overview of it. But operationalism

is not enough to create space-time frames. What is also needed (but seldom mentioned although implicitly assumed) are conventions for measuring time and space, and for comparing those scales at different locations and different times in co-moving and other experimental configurations. Indeed, the International System of units outrightly declares a previously experimental physical fact to be convention. The speed of light is assumed to be constant for all reference frames. With the mild side assumption of the one-to-oneness (invertibility) of space-time transformation, this convention declares the preservation of light cones, and thus, by the preservation of set theoretic intersections of light cones such as time- space- and lightlike onedimensional subspaces, results in affinity and linearity of the transformation laws. From this point of view, the Lorentz transformation are a geometric statement, and not a physical statement. In geometry, this is known as Alexandrov's theorem [75–81].

So, in a sense, this is the big picture. If one requires invariance of some “fundamental” speed and bijectivity of the transformation laws, then the Lorentz-type transformation laws containing that “fundamental” speed follow. Thereby, it makes no difference whether the associated observers are embedded in the “real” Universe, in a CA, or in a plum pudding; as long as these conditions and conventions are met, then Alexandrov's theorem certifies that the geometry is a relativistic one. For discrete models, these results will always be only approximations which are valid down to scales where the discreteness becomes important.

Where is all the physics gone? The answer to this question is that the physics is in the invariance with respect to any such Lorentz-type transformations. For example, clocks governed by electromagnetic phenomena will be showing the “right” time in all frames if the “fundamental” speed is chosen to be the speed of light. Sound clocks tick invariantly in the respective system if the “fundamental” speed is the speed of sound. Scales are invariant if the forces stabilizing that scales are electromagnetic ones and the “fundamental” speed is again chosen to be the speed of light. So, with these new conventions, the invariance of certain length [82] and time scales, corresponding to the relativistic form invariance of the laws governing them, becomes a physical statement [82–85].

The following is an example [86] of an Einstein synchronisation by clocks generating radar

coordinates in a one-dimensional CA with the following evolution rules.

$$\begin{aligned}
&\varphi(>, -, X) \rightarrow >, \quad \varphi(X, -, <) \rightarrow <, \quad \varphi(-, -, -) \rightarrow -, \quad \varphi(X, -, >) \rightarrow -, \quad \varphi(<, -, X) \rightarrow -, \\
&\varphi(-, >, -) \rightarrow -, \quad \varphi(-, <, -) \rightarrow -, \quad \varphi(-, >, I) \rightarrow <, \quad \varphi(I, <, -) \rightarrow >, \quad \varphi(>, I, X) \rightarrow *, \\
&\varphi(<, *, X) \rightarrow I, \quad \varphi(X, <, *) \rightarrow -, \quad \varphi(*, 1, X) \rightarrow 2, \quad \varphi(*, 2, X) \rightarrow 3, \quad \varphi(*, 3, X) \rightarrow 4, \\
&\varphi(*, 4, X) \rightarrow 5, \quad \varphi(*, 5, X) \rightarrow 6, \quad \varphi(*, 6, X) \rightarrow 7, \quad \varphi(*, 7, X) \rightarrow 8, \quad \varphi(*, 8, X) \rightarrow 9, \\
&\varphi(*, 9, X) \rightarrow 0, \quad \varphi(*, 0, X) \rightarrow 1, \quad \varphi(0, -, X) \rightarrow -, \quad \varphi(1, -, X) \rightarrow -, \quad \varphi(2, -, X) \rightarrow -, \\
&\varphi(3, -, X) \rightarrow -, \quad \varphi(4, -, X) \rightarrow -, \quad \varphi(5, -, X) \rightarrow -, \quad \varphi(6, -, X) \rightarrow -, \quad \varphi(7, -, X) \rightarrow -, \\
&\varphi(8, -, X) \rightarrow -, \quad \varphi(9, -, X) \rightarrow -, \quad \varphi(X, *, 0) \rightarrow *, \quad \varphi(X, *, 1) \rightarrow *, \quad \varphi(X, *, 2) \rightarrow *, \\
&\varphi(X, *, 3) \rightarrow *, \quad \varphi(X, *, 4) \rightarrow *, \quad \varphi(X, *, 5) \rightarrow *, \quad \varphi(X, *, 6) \rightarrow *, \quad \varphi(X, *, 7) \rightarrow *, \\
&\varphi(X, *, 8) \rightarrow *, \quad \varphi(X, *, 9) \rightarrow *, \quad \varphi(X, 1, X) \rightarrow 1, \quad \varphi(X, 2, X) \rightarrow 2, \quad \varphi(X, 3, X) \rightarrow 3, \\
&\varphi(X, 4, X) \rightarrow 4, \quad \varphi(X, 5, X) \rightarrow 5, \quad \varphi(X, 6, X) \rightarrow 6, \quad \varphi(X, 7, X) \rightarrow 7, \quad \varphi(X, 8, X) \rightarrow 8, \\
&\varphi(X, 9, X) \rightarrow 9, \quad \varphi(X, 0, X) \rightarrow 0, \quad \varphi(X, I, 0) \rightarrow I, \quad \varphi(X, I, 1) \rightarrow I, \quad \varphi(X, I, 2) \rightarrow I, \\
&\varphi(X, I, 3) \rightarrow I, \quad \varphi(X, I, 4) \rightarrow I, \quad \varphi(X, I, 5) \rightarrow I, \quad \varphi(X, I, 6) \rightarrow I, \quad \varphi(X, I, 7) \rightarrow I, \\
&\varphi(X, I, 8) \rightarrow I, \quad \varphi(X, I, 9) \rightarrow I, \quad \varphi(X, I, 0) \rightarrow I, \quad \varphi(X, I, X) \rightarrow I, \quad \varphi(*, -, X) \rightarrow -, \\
&\varphi(-, -, I) \rightarrow -, \quad \varphi(I, -, -) \rightarrow -, \quad \varphi(I, >, -) \rightarrow -, \quad \varphi(-, <, I) \rightarrow -.
\end{aligned} \tag{1}$$

Here,  $X$  stands for any state except the ones already specified. These rules look a little bit “murky,” but they can be simulated by any universal CA and they serve their purpose to demonstrate clock synchronization procedures. (Actually, this pattern was generated automatically by a CA simulator from the above rules.)

Assume two clocks at two arbitrary points  $A$  and  $B$  in the CA which are “of similar kind.” At some arbitrary  $A$ -time  $t_A$  a ray goes from  $A$  to  $B$ . At  $B$  it is instantly (without delay) reflected at  $B$ -time  $t_B$  and reaches  $A$  again at  $A$ -time  $t_{A'}$ . The clocks in  $A$  and  $B$  are *synchronized* if  $t_B - t_A = t_{A'} - t_B$ . The two-ways ray velocity is given by  $2|AB|/(t_{A'} - t_A) = c$ , where  $|AB|$  is the distance between  $A$  and  $B$ . In Fig. 1(a), an example of synchronization between two clocks  $A$  and  $B$  is drawn.

What happens with the intrinsic synchronization and the space-time coordinates when observers are considered which are in motion with respect to the CA? For simplicity, suppose a constant motion of  $v$  automaton cells per time cycle. With these units, the ray speed is  $c = 1$ , and  $v \leq 1$ . There are numerous ways to simulate sub-ray motion on a CA. In what follows, the case  $v = 1/3$  will be studied in such a way that every three CA time cycles the walls, symbolised by I, move one cell to the right.

Notice that two clocks which are synchronized in a reference frame which is at rest with respect to the CA medium are *not synchronized* in their own co-moving reference frame. Consider, as an example, the CA drawn in Fig. 1(b). (Strictly speaking, the CA rule here depends on a two-neighbor interaction.) For  $t_A = 1$ ,  $t_B = 4$ ,  $t_{A'} = 5$ , and  $4 - 1 \neq 5 - 4$ , if the first clock is corrected to make up for the different time of ray flights as in Fig. 1(c),  $t_A = 2$ ,  $t_B = 4$ ,  $t_{A'} = 6$ , and  $4 - 2 = 6 - 4$ . Then, this correction amounts to an asynchronicity of the two ray clocks with respect to the




FIG. 1: Synchronization by ray exchange (a) in a system as rest with respect to a CA; (b) ray exchange with synchronization defined by (a); (c) synchronization in co-moving frame.

“original” CA medium.

## V. NOW WHAT?

Despite all these efforts, including those of the author presented above, the computational approach to understanding universes has so far resulted in little or no phenomenological impact; not to speak of any “killer application”—a problem of physics that yields to this analysis but no other—which would make the few critics and the many hesitant researchers listen to the subject. Large segments of theoretical physics nowadays in other areas such as string theory or quantum gravity appear to be in the very same position, but this is big comfort. In search for applications of the idea of computational universes let us shortly discuss some of the predictions of the subject and their possible empirical validation or falsification.

### A. New range of phenomena

With regards to the logical order of propositions, there may exist phenomena perceivable by intrinsic, embedded observers which cannot happen according to quantum mechanics but are realizable by finite automata. The simplest case is characterized by a Greechie hyperdiagram of triangle form, with three atoms per edge. Its automaton partition logic is given by

$$\{\{\{1\}, \{2\}, \{3,4\}\}, \{\{1\}, \{2,4\}, \{3\}\}, \{\{1,4\}, \{2\}, \{3\}\}\}. \quad (2)$$

A corresponding Mealy automaton is  $\langle \{1,2,3,4\}, \{1,2,3\}, \{1,2,3\}, \delta = 1, \lambda \rangle$ , where  $\lambda(1,1) = \lambda(3,2) = \lambda(2,3) = 1$ ,  $\lambda(3,1) = \lambda(2,2) = \lambda(1,3) = 2$ , and  $\lambda(2,1) = \lambda(4,1) = \lambda(1,2) = \lambda(4,2) = \lambda(3,3) = \lambda(4,3) = 3$ .

Figure 2 depicts the Greechie and Hasse diagrams of this propositional structure.

The physical interpretation of Eq. (2) is the following: there exist six observables  $\{1\}$ ,  $\{2\}$ ,  $\{3\}$ ,  $\{1,4\}$ ,  $\{2,4\}$ , and  $\{3,4\}$ ; i.e.,  $\{3,4\}$  corresponds to “*the system is in state 3 or in state 4.*”

They are grouped into three partitions of  $\{1,2,3,4\}$ , such that within each group the observables are comeasurable. For instance, in the automaton example enumerated above, the experiment with the input of symbol 2 differentiates between  $\{1,4\}$ ,  $\{2\}$ ,  $\{3\}$  and all properties obtained by forming the logical “or” operation, such as  $\{2,3\}$ . But the experiment does not reveal all conceivable propositions, such as  $\{1,2\}$ . Another experiment with the input of symbol 3 does, but cannot reveal other properties, such as  $\{1,4\}$ . Because of this complementarity, the propositions are nonclassical, in particular they do not obey the distributive law: since  $\{1,3\} \vee \{2,3\} = \{1,2,3,4\}$ ,

$$\{1,2,4\} \wedge (\{1,3\} \vee \{2,3\}) = \{1,2,4\} \wedge \{1,2,3,4\} = \{1,2,4\}$$




FIG. 2: a) Greechie and b) Hasse diagram of a logic featuring complementarity which is not a quantum logic but which is embeddable in a Boolean logic.

$$= (\{1,2,4\} \wedge \{1,3\}) \vee (\{1,2,4\} \wedge \{2,3\}) = \{1,2\}.$$

This humble propositional structure is thus non-classical, but quite remarkably it also cannot be realized by quantum mechanics. The complementary groups are interlocked in a triangle form, which is forbidden by the Hilbert space based algebraic structure of quantum mechanics: In analogy to Kochen and Specker [87], we denote by the symbol “ $\perp$ ” the binary relation of comeasurability. Any sequencing of observables such as

$$\{1\} \perp \{3,4\} \perp \{2\} \perp \{1,4\} \perp \{3\} \perp \{2,4\} \perp \{1\}$$

(with  $\{1\} \not\perp \{1,4\} \not\perp \{2,4\}$  and so on) cannot occur in quantum mechanics. Hence, if this propositional structure is experienced in some physical setup, then quantum mechanics is not an appropriate theoretical representation for it. Computational universes would be a natural candidate.

### B. Coarse grained structure of digital space

Already Zuse mentioned that, if space is tessellated, then this tessellation will eventually show up; either by some anisotropy or by a fundamental length scale. No indication is given exactly when this granularity should show up; and problems abound [88]. By the way, there is no guarantee that space and time will be organized as a regular lattice; it may rather resemble a huge pile of more or less randomly and densely packed sand and stabilized by whatever forces there are.

In view of the mild discreteness of quantum mechanics already mentioned earlier (only an integer number of quanta per field node), it might well be that we have already unravelled the fundamental discreteness; but not in the properties where we had expected them. So, maybe the field nodes or phase space are more fundamental than the frames of space and time that we use to define those fields. In this idealistic picture, space and time may be convenient constructions of our minds to sort out the evolution of field modes.

### C. Exotic probabilities

One approach to the formalism is that anything which is not forbidden explicitly is realized [138]. As Gleason's theorem strongly ties quantum probabilities to Hilbert space, there may be non-classical and non-quantum probabilities which can be modelled with automaton or generalized urn models.

Let us consider again spin state measurements on electrons modelled by two-dimensional Hilbert space entities. The associated algebra of propositions consists of (the horizontal sum of) Boolean sublattices  $2^2$  which are pasted together [89] at their extreme elements. In this case, Gleason's theorem does not apply. By taking the algebraic structure and the set of dispersion free (two-valued) states alone, there exists the possibility of nongleason type probability measures. These measures have singular, separating distributions and thus can be embedded into "classical" Boolean algebras such as generalized urn and automaton partition logics. One particular example is represented in Figure 3. Its probability measure is  $P(x_-^i) = 1$  and  $P(x_+^i) = 1 - P(x_-^i) = 0$  for




FIG. 3: Example for a nongleason type probability measure for  $n$  spin one-half state propositional systems  $L(x^i), i = 1, \dots, n$  which are not comeasurable. The superscript  $i$  represents the  $i$ th measurement direction. The concentric circles indicate the atoms with probability measure 1.

$i = 1, \dots, n$ . The associated automaton models are straightforward. Every such dispersion free state is obtained by associating with it a particular automaton state. Whether or not such probability distributions exist for fundamental processes is an open question. For spin state measurements




FIG. 4: Greechie diagram of the Wright pentagon [27]. Filled squares indicate probability  $\frac{1}{2}$ .

of the electrons, this does not seem to be the case, but again the question of state preparation may be essential here.

Another more exotic example of a suborthoposet which is embeddable into the three-dimensional real Hilbert lattice  $\mathfrak{C}(\mathbb{R}^3)$  and can also be realized by generalized urn models and finite automata has been given by Wright [27]. Its Greechie diagram of the pentagonal form is drawn in Figure 4. Wright showed that the probability measure  $P(a_i) = \frac{1}{2}$ ,  $P(b_i) = 0$ , for  $i = 0, 1, 2, 3, 4$ , as depicted in Figure 4, is no convex combination of other pure states; and furthermore, that it does not correspond to any Gleason type measure allowed as quantum probability. In this sense, it is a “stranger-than-quantum probability.” And although automata and generalized urn models as well as quantum system with this pentagonally interlocking algebraic structure of propositions exist, no realizable probability measure on it is of the form of Wright’s measure defined above. The reason for this is the impossibility to represent it as a convex combination of other dispersion free two-valued states.

#### D. “Tuning” reality

If the physical phenomena are the intrinsic view of a mathematical or computational universe, then any attempt to render, manipulate and change certain phenomena could be interpreted as “reprogramming.” In fact, reprogramming or “tuning” [139] reality may be a powerful new metaphor hitherto foreign to theoretical physics. Again, one should keep in mind that this is highly speculative.

## E. Against odds

Let me again emphasise that discrete or algorithmic physics may be utterly non mainstream and off-topic, as competing with "traditional" continuum physics is hard. For instance, note the fabulous coincidence between the theoretical and the experimental values of the anomalous magnetic moment of the Muon  $a_{\mu,t} = 11659177(7) \times 10^{-10}$  and  $a_{\mu,e} = 11659204(7)(5) \times 10^{-10}$  [90]. Or take the neutron double slit experiments [91] which show a wonderful agreement of theory and experiment.

Yet, despite all these difficulties, discrete computational physics certainly represents an interesting, speculative and challenging research area. Many ideas from system science, interface design, to dualism (e.g., the Eccles Telegraph) enter. The issue has metaphysical connotations. It is for instance quite likely that a demiurge would create an "atomistic" world such as ours, in which an immense (to us) number of identical gaming pieces come together to form a universe and which are constantly rearranged to form rich and varied and seemingly complex patterns. Or there is just one consistent Universe of Mathematics, and this is the the physical Universe we are living in.

## Acknowledgements

Many thanks go to Tim Boykett for inviting me to a Time's Up workshop, giving me the feeling that somewhere out there are people still interested and listening. Garry J. Tee from the University of Auckland has provided reference [92], and Peter Mittelstaedt for referring to the beautiful quotation of Kant. I am particularly thankful to Ross Rhodes for his continuing encouragement; also for reading an earlier version of the manuscript and for many suggestions to improve the text.

- 
- [1] T. Bulfinch, ed., *The Age of Fable* (1913), project Gutenberg Etext #3327 & Etext #4928.
  - [2] C. B. Boyer, *A History of Mathematics* (John Wiley & Sons, New York, 1968).
  - [3] E. Fredkin and T. Toffoli, *International Journal of Theoretical Physics* **21**, 219 (1982).
  - [4] E. P. Wigner, *Communications on Pure and Applied Mathematics* **13**, 1 (1960).
  - [5] E. F. Moore, in *Automata Studies*, edited by C. E. Shannon and J. McCarthy (Princeton University Press, Princeton, 1956).
  - [6] J. H. Conway, *Regular Algebra and Finite Machines* (Chapman and Hall Ltd., London, 1971).

- [7] S. Ulam, Proceedings of the International Congress of Mathematics **2**, 264 (1952), talk held in 1950.
- [8] J. von Neumann, *Theory of Self-Reproducing Automata* (University of Illinois Press, Urbana, 1966), a. W. Burks, editor.
- [9] K. Zuse, Elektronische Datenverarbeitung pp. 336–344 (1967), a scan is available at <http://www.idsia.ch/~juergen/digitalphysics.html>, URL [http://www.idsia.ch/\\$\widetilde{\;}\\$, \\$juergen/digitalphysic%s.html](http://www.idsia.ch/$\widetilde{\;}$, $juergen/digitalphysic%s.html).
- [10] K. Zuse, *Rechnender Raum* (Friedrich Vieweg & Sohn, Braunschweig, 1969), English translation as [93].
- [11] K. Zuse (1994), URL <http://www.zib.de/PaperWeb/abstracts/TR-94-10/>.
- [12] T. Toffoli and N. Margolus, *Physica D* **45**, 229 (1990), URL [http://pm1.bu.edu/\\$\widetilde{\;}\\$, \\$tt/publ/ica.ps](http://pm1.bu.edu/$\widetilde{\;}$, $tt/publ/ica.ps).
- [13] E. Fredkin, *Physica* **D45**, 254 (1990), doi:10.1016/0167-2789(90)90186-S available at <http://www.digitalphilosophy.org>, URL <http://www.digitalphilosophy.org>.
- [14] K. Gödel, in *Albert Einstein, Philosopher-Scientist*, edited by P. A. Schilpp (Tudor Publishing Company, New York, 1949), pp. 555–561, reprinted in [94, pp. 202-207].
- [15] G. J. Chaitin, *Algorithmic Information Theory* (Cambridge University Press, Cambridge, 1987).
- [16] G. J. Chaitin, *Exploring Randomness* (Springer Verlag, London, 2001).
- [17] C. Calude, *Information and Randomness—An Algorithmic Perspective* (Springer, Berlin, 2002), 2nd ed.
- [18] W. Brauer, *Automatentheorie* (Teubner, Stuttgart, 1984).
- [19] D. Finkelstein and S. R. Finkelstein, *International Journal of Theoretical Physics* **22**, 753 (1983).
- [20] K. Svozil, *Randomness & Undecidability in Physics* (World Scientific, Singapore, 1993).
- [21] M. Schaller and K. Svozil, *International Journal of Theoretical Physics* **35**, 911 (1996).
- [22] C. Calude, E. Calude, K. Svozil, and S. Yu, *International Journal of Theoretical Physics* **36**, 1495 (1997).
- [23] K. Svozil, *Quantum Logic* (Springer, Singapore, 1998).
- [24] K. Svozil, in *Unconventional Models of Computation*, edited by C. S. Calude, J. Casti, and M. J. Dinneen (Springer, Singapore, 1998), pp. 371–385.
- [25] K. Svozil (2002), <http://www.arxiv.org/abs/quant-ph/0209089>, quant-ph/0209089, URL <http://www.arxiv.org/abs/quant-ph/0209089>.
- [26] K. Svozil (2002), URL <http://arxiv.org/abs/quant-ph/0209136>, quant-ph/0209136, URL <http://>

- arxiv.org/abs/quant-ph/0209136.
- [27] R. Wright, in *Mathematical Foundations of Quantum Theory*, edited by A. R. Marlow (Academic Press, New York, 1978), pp. 255–274.
- [28] R. Wright, *Foundations of Physics* **20**, 881 (1990).
- [29] R. Descartes, *Meditation on First Philosophy* (1641),  
<http://oregonstate.edu/instruct/phl302/texts/descartes/meditations/meditations.html>,  
 URL <http://oregonstate.edu/instruct/phl302/texts/descartes/medita%tions/meditations.html>.
- [30] K. Svozil, in *Sciences of the Interface*, edited by H. H. Diebner, T. Druckrey, and P. Weibel (Genista Verlag, Tübingen, Germany, 2001), pp. 76–88, uRL <http://arxiv.org/abs/quant-ph/0001064>, quant-ph/0001064, URL <http://arxiv.org/abs/quant-ph/0001064>.
- [31] T. J. Herzog, P. G. Kwiat, H. Weinfurter, and A. Zeilinger, *Physical Review Letters* **75**, 3034 (1995).
- [32] D. B. Greenberger and A. YaSin, *Foundation of Physics* **19**, 679 (1989).
- [33] K. R. Popper, *The British Journal for the Philosophy of Science* **1**, 117,173 (1950).
- [34] A. Komar, *Physical Review* **133**, B542 (1964), URL: <http://link.aps.org/abstract/PR/v133/pB542>.
- [35] I. Kanter, *Physical Review Letters* **64**, 332 (1990), URL: <http://link.aps.org/abstract/PRL/v64/p332>.
- [36] C. D. Moore, *Physical Review Letters* **64**, 2354 (1990), cf. Ch. Bennett, *Nature*, **346**, 606 (1990), URL <http://link.aps.org/abstract/PRL/v64/p2354>.
- [37] S. Drobot, *Real Numbers* (Prentice-Hall, Englewood Cliffs, New Jersey, 1964).
- [38] P. W. Bridgman, *Scripta Mathematica* **2**, 101 (1934), cf. R. Landauer [95].
- [39] K. Svozil, *Foundations of Physics* **25**, 1541 (1995).
- [40] H. Weyl, *Philosophy of Mathematics and Natural Science* (Princeton University Press, Princeton, 1949).
- [41] A. Grünbaum, *Philosophical problems of space and time (Boston Studies in the Philosophy of Science, vol. 12)* (D. Reidel, Dordrecht/Boston, 1974), second, enlarged edition ed.
- [42] J. F. Thomson, *Analysis* **15**, 1 (1954).
- [43] P. Benacerraf, *Journal of Philosophy* **LIX**, 765 (1962).
- [44] I. Pitowsky, *Iyyun* **39**, 81 (1990).
- [45] M. Hogarth, *Studies in History and Philosophy of Science. Studies in History and Philosophy of Modern Physics* **24**, 721 (1993).
- [46] J. Earman and J. D. Norton, *Philosophy of Science* **60**, 22 (1993).

- [47] K. Svozil, *Physics Letters* **A143**, 433 (1990).
- [48] T. Jennewein, U. Achleitner, G. Weihs, H. Weinfurter, and A. Zeilinger, *Review of Scientific Instruments* **71**, 1675 (2000), arXiv:quant-ph/9912118, quant-ph/9911044, URL <http://xxx.lanl.gov/abs/quant-ph/9912118>.
- [49] T. Rado, *The Bell System Technical Journal* **XLI(41)**, 877 (1962), <http://grail.cba.csuohio.edu/~somos/bb.html>.
- [50] A. H. Brady, in *The Universal Turing Machine. A Half-Century Survey*, edited by R. Herken (Kammerer und Unverzagt, Hamburg, 1988), p. 259.
- [51] G. J. Chaitin, in *Open Problems in Communication and Computation*, edited by T. M. Cover and B. Gopinath (Springer, New York, 1987), p. 108, reprinted in [96].
- [52] A. Zeilinger, *Foundations of Physics* **29**, 631 (1999).
- [53] Č. Brukner and A. Zeilinger, *Acta Physica Slovaca* **49**, 647 (1999).
- [54] Č. Brukner and A. Zeilinger (2001), <http://www.arxiv.org/abs/quant-ph/0212084>, quant-ph/0212084, URL <http://www.arxiv.org/abs/quant-ph/0212084>.
- [55] A. Shimony, in *Proceedings of the International Symposium on the Foundations of Quantum Mechanics*, edited by S. K. *et al.* (Physical Society of Japan, Tokyo, 1984), pp. 225–230, see also J. Jarrett, *Bell's Theorem, Quantum Mechanics and Local Realism*, Ph. D. thesis, Univ. of Chicago, 1983; *Nous*, **18**, 569 (1984).
- [56] N. Herbert, *Foundation of Physics* **12**, 1171 (1982).
- [57] W. K. Wothers and W. H. Zurek, *Nature* **299**, 802 (1982).
- [58] R. J. Glauber, in *Frontiers in Quantum Optics*, edited by E. R. Pike and S. Sarkar (Adam Hilger, Bristol, 1986).
- [59] S. Fussy, G. Grössing, and H. Schwabl, *Physical Review A* **48**, 3470 (1993), URL <http://link.aps.org/abstract/PRA/v48/p3470>, URL <http://link.aps.org/abstract/PRA/v48/p3470>.
- [60] M. Redhead, *Incompleteness, Nonlocality, and Realism: A Prolegomenon to the Philosophy of Quantum Mechanics* (Clarendon Press, Oxford, 1990).
- [61] I. Pitowsky, *Physical Review Letters* **48**, 1299 (1982), cf. N. D. Mermin, *Physical Review Letters* **49**, 1214 (1982); A. L. Macdonald, *Physical Review Letters* **49**, 1215 (1982); Itamar Pitowsky, *Physical Review Letters* **49**, 1216 (1982).
- [62] D. A. Meyer, *Physical Review Letters* **83**, 3751 (1999), arXiv:quant-ph/9905080.

- [63] E. Specker, *Dialectica* **14**, 175 (1960), reprinted in [64, pp. 175–182]; English translation: *The logic of propositions which are not simultaneously decidable*, reprinted in [97, pp. 135-140].
- [64] E. Specker, *Selecta* (Birkhäuser Verlag, Basel, 1990).
- [65] R. J. Boskovich, *De spacio et tempore, ut a nobis cognoscuntur* (Vienna, 1755), English translation in [98].
- [66] T. Toffoli, in *Applied General Systems Research, Recent Developments and Trends*, edited by G. J. Klir (Plenum Press, New York, London, 1978), pp. 395–400.
- [67] O. E. Rössler, in *Real Brains, Artificial Minds*, edited by J. L. Casti and A. Karlquist (North-Holland, New York, 1987), p. 25.
- [68] O. E. Rössler, *Endophysics. Die Welt des inneren Beobachters* (Merwe Verlag, Berlin, 1992), with a foreword by Peter Weibel.
- [69] K. Svozil, Lawrence Berkeley Laboratory preprint **LBL-16097** (1983), <http://heplibw3.slac.stanford.edu/spires/find/hep?key=1089510> a pdf scan is at URL <http://ccdb3fs.kek.jp/cgi-bin/img/allpdf?198309187>, URL <http://ccdb3fs.kek.jp/cgi-bin/img/allpdf?198309187>.
- [70] K. Svozil, *Europhysics Letters* **2**, 83 (1986), excerpts from [69].
- [71] K. Svozil, *Il Nuovo Cimento* **96B**, 127 (1986).
- [72] K. Svozil, in *Inside versus Outside*, edited by H. Atmanspacker and G. J. Dalenoort (Springer-Verlag, Heidelberg, 1994), pp. 273–288.
- [73] O. E. Rössler, *Endophysics. The World as an Interface* (World Scientific, Singapore, 1998), with a foreword by Peter Weibel.
- [74] A. Einstein, *Annalen der Physik* **17**, 891 (1905), English translation in the Appendix of [99].
- [75] A. D. Alexandrov, *Uspehi Mat. Nauk.* **5**, 187 (1950).
- [76] A. D. Alexandrov, *Canadian Journal of Math.* **19**, 1119 (1967).
- [77] A. D. Alexandrov, *Annali di Matematica Pura ed Applicata* **103**, 229 (1967).
- [78] A. D. Alexandrov, in *Classics of Soviet Mathematics. Volume 4. A. D. Alexandrov. Selected Works* (1996), pp. 289–318.
- [79] H. J. Borchers and G. C. Hegerfeldt, *Communications in Mathematical Physics* **28**, 259 (1972).
- [80] W. Benz, *Geometrische Transformationen* (BI Wissenschaftsverlag, Mannheim, 1992).
- [81] J. A. Lester, in *Handbook of Incidence Geometry*, edited by F. Buekenhout (Elsevier, Amsterdam, 1995).

- [82] A. Peres, *Nature* **312**, 10 (1984).
- [83] J. S. Bell, *Physics World* **5**, 31 (1992), abridged version by Denis Weaire.
- [84] K. Svozil, *Foundations of Physics* **30**, 1001 (2000), e-print [arXiv:quant-ph/0001064](http://arxiv.org/abs/quant-ph/0001064), [quant-ph/0001064](http://arxiv.org/abs/quant-ph/0001064).
- [85] K. Svozil, *Foundations of Physics* **32**, 479 (2002), [quant-ph/0110054](http://arxiv.org/abs/quant-ph/0110054).
- [86] K. Svozil, in *Cybernetics and Systems '96. Proceedings of the 13th European Meeting on Cybernetics and Systems Research*, edited by R. Trappl (Austrian Society for Cybernetic Studies, Vienna, 1996), pp. 162–166, URL <http://tph.tuwien.ac.at/~svozil/publ/time1.htm>, URL <http://tph.tuwien.ac.at/~svozil/publ/time1.htm>.
- [87] S. Kochen and E. P. Specker, in *Symposium on the Theory of Models, Proceedings of the 1963 International Symposium at Berkeley* (North Holland, Amsterdam, 1965), pp. 177–189, reprinted in [64, pp. 209–221].
- [88] G. 't Hooft, *International Journal of Theoretical Physics* **42**, NN (2003), URL: <http://www.phys.uu.nl/~thooft/gthpub/digit01.ps>, URL <http://www.phys.uu.nl/~thooft/gthpub/digit01.ps>.
- [89] M. Navara and V. Rogalewicz, *Mathematische Nachrichten* **154**, 157 (1991).
- [90] Cenap S. Ozben, et al, Muon g-2 Collaboration (2002), URL: <http://arxiv.org/abs/hep-ex/0211044>, [hep-ex/0211044](http://arxiv.org/abs/hep-ex/0211044), URL <http://arxiv.org/abs/hep-ex/0211044>.
- [91] A. Zeilinger, R. Gähler, C. G. Shull, W. Treimer, and W. Mampe, *Rev. Mod. Phys.* **60**, 1067 (1988), URL: <http://link.aps.org/abstract/RMP/v60/p1067>, URL <http://link.aps.org/abstract/RMP/v60/p1067>.
- [92] J. M. Thomas, *Michael Faraday and the Royal Institution* (Adam Hilger, Bristol, 1991).
- [93] K. Zuse, *Calculating Space. MIT Technical Translation AZT-70-164-GEMIT* (MIT (Proj. MAC), Cambridge, MA, 1970).
- [94] K. Gödel, in *Collected Works. Publications 1938-1974. Volume II*, edited by S. Feferman, J. W. Dawson, Jr., S. C. Kleene, G. H. Moore, R. M. Solovay, and J. van Heijenoort (Oxford University Press, Oxford, 1990).
- [95] R. Landauer, in *On Limits*, edited by J. L. Casti and J. F. Traub (Santa Fe Institute Report 94-10-056, Santa Fe, NM, 1994), p. 39.
- [96] G. J. Chaitin, *Information, Randomness and Incompleteness* (World Scientific, Singapore, 1990), 2nd ed., this is a collection of G. Chaitin's publications.

- [97] C. A. Hooker, *The logico-algebraic approach to quantum mechanics* (D. Reidel Pub. Co., Dordrecht; Boston, [1975]-1979).
- [98] R. J. Boskovich, in *A Theory of Natural Philosophy*, edited by J. M. Child (Open Court (1922) and MIT Press, Cambridge, MA, 1966), pp. 203–205.
- [99] A. I. Miller, *Albert Einstein's special theory of relativity* (Springer, New York, 1998).
- [100] H. S. Leff and A. F. Rex, *Maxwell's Demon* (Princeton University Press, Princeton, 1990).
- [101] J. C. Eccles, in *The Principles of Design and Operation of the Brain*, edited by J. C. Eccles and O. Creutzfeldt (Springer, Berlin, 1990), p. 549.
- [102] H. Putnam, *Reason, Truth and History* (Cambridge University Press, Cambridge, 1981).
- [103] K. Gödel, in *Collected Works. Publications 1929-1936. Volume I*, edited by S. Feferman, J. W. Dawson, S. C. Kleene, G. H. Moore, R. M. Solovay, and J. van Heijenoort (Oxford University Press, Oxford, 1986).
- [104] A. Einstein, *Grundzüge der Relativitätstheorie* (Vieweg, Braunschweig, 1956), 1st ed.
- [105] C. H. Bennett, *IBM Journal of Research and Development* **17**, 525 (1973), reprinted in [100, pp. 197-204].
- [106] S. Wolfram, *A New Kind of Science* (Wolfram Media, Inc., Champaign, IL, 2002).
- [107] L. Gray, *Notices of the American Mathematical Society* **50** (2003), URL <http://www.ams.org/notices/200302/fea-gray.pdf>.
- [108] J. Bernstein, *Quantum Profiles* (Princeton University Press, Princeton, 1991).
- [109] J. L. Casti, in *On Limits*, edited by J. L. Casti and J. F. Traub (Santa Fe Institute Report 94-10-056, Santa Fe, NM, 1994), <http://www.santafe.edu/sfi/publications/Working-Papers/94-10-056.pdf> and <http://www.santafe.edu/sfi/publications/wpabstract/199410056>, URL <http://www.santafe.edu/sfi/publications/Working-Papers/94-10-%056.pdf>.
- [110] J. L. Casti and A. Karlquist, *Boundaries and Barriers. On the Limits to Scientific Knowledge* (Addison-Wesley, Reading, MA, 1996).
- [111] M. Planck, *Annalen der Physik* **50**, 385 (1916).
- [112] I. Kant, *Kritik der reinen Vernunft* (1787), 2nd ed., project Gutenberg. Etext #4280. - First Release: Jul 2003 - ID:4884.
- [113] F. Dyson, *Mathematical Intelligencer* pp. 47–54 (1983), Dyson gave related talks; e.g., at Yale, Minnesota and Bonn.
- [114] H. Atmanspacher and G. Dalenoort, eds., *Inside Versus Outside* (Springer, Berlin, 1994).

- [115] J. L. Casti, *Beyond Believe: Randomness, Prediction and Explanation in Science* (CRC Press, Boca Raton, Florida, 1990).
- [116] J. L. Casti, *Reality Rules. Picturing the World in Mathematics: the Fundamentals*, vol. I (J. Wiley & Sons, New York, 1992).
- [117] J. L. Casti, *Reality Rules. Picturing the World in Mathematics: the Frontier*, vol. II (J. Wiley & Sons, New York, 1992).
- [118] This is mind-body dualism in a new form. For a concrete mind-brain interface model, see for instance Eccles' proposal [101]. In this view, what appears to us as the physical world is just a simulation-computation-game; and the mind(s) of the player(s) is (are) transcendental with respect to the characters in this emulation. Note the phrase "*we are the dead on vacation*" in Godard's film *Breathless*.
- [119] This is the theme in Galouye's 1964 novel *Simulacron 3*; the novel stimulated Fassbinder's *Welt am Draht*, as well the recent movie *Thirteenth Floor*. Somewhat related scripts are those of *Total Recall* and *Matrix*. In *Contact*, Sagan mentions the "Zoo hypothesis" claiming that there is somebody (in this case aliens) watching us for ethnographic or other reasons. Philosophical speculations include Rene Descartes' *world-as-a-lucid-dream* vision [29, Meditation 1,9], and Putnam's *brain-in-a-vat* metaphor [102]; see also <http://whatisthematrix.warnerbros.com>.
- [120] There is a possibly apocryphal story [92, p. 127] that, when asked by his Prime Minister Peel or by the Chancellor of the Exchequer Gladstone about the usefulness of his findings, Faraday responded, "*Why, sir, there is the probability that you will soon be able to tax it.*"
- [121] In *Convivialium disputationum, liber 8,2*, Plutarch stated, "*Plato said God geometrizes continually.*"
- [122] In his memoirs written on St. Hélène, Napoleon states that he removed Laplace from office as Minister of the Interior [2, p. 536] after only six weeks "*because he brought the spirit of the infinitely small into the government.*"
- [123] <http://babbage.clarku.edu/~djoyce/hilbert/problems.html>
- [124] In a postscript dated from June 3rd, 1964 [103, p. 369-370], Gödel's opinion is clearly expressed, "*... due to A. M. Turing's work [[on the universal Turing machine]], a precise and unquestionably adequate definition of the general concept of formal system can now be given, the existence of undecidable arithmetical propositions and the non-demonstrability of the consistency of a system in the same system can now be proved rigorously for every consistent formal system containing a certain amount of finitary number theory. ... Turing's work gives an analysis of the concept of "mechanical procedure" (alias "algorithm" or "computation procedure" or "finite combinatorial procedure").*"

*This concept is shown to be equivalent with that of a “Turing machine.” A formal system can simply be defined to be any mechanical procedure for producing formulas, called provable formulas.”*

- [125] Gödel’s own thoughts on the interpretation of his results are formulated very nicely in a reply to a letter by A. W. Burks, reprinted in [8, p. 55], *“I think the theorem of mine which von Neumann refers to is . . . the fact that a complete epistemological description of a language A cannot be given in the same language A, because the concept of truth of sentences of A cannot be defined in A. It is this theorem which is the true reason for the existence of undecidable propositions in the formal systems containing arithmetic. I did not, however, formulate it explicitly in my paper of 1931 but only in my Princeton lectures of 1934. The same theorem was proved by Tarski in his paper on the concept of truth . . .”*
- [126] Quantum theory just discretizes the number of quanta within a mode, yet the modes themselves are still continuous.
- [127] In [104, p. 163], Einstein states, *“There are good reasons to assume that nature cannot be represented by a continuous field. From quantum theory it could be inferred with certainty that a finite system with finite energy can be completely described by a finite number of (quantum) numbers. This seems not in accordance with continuum theory and has to render trials to describe reality with purely algebraic means. However, nobody has any idea of how one can find the basis of such a theory.”*
- [128] Reversibility of CA should not be confused with Bennett’s strategy to produce “reversible” calculations from irreversible ones by temporarily copying their intermediate results and permanently copying their final result, thereby setting the computing agent to its initial state, as well as retaining the result of the computation [105]. Any such operation must necessarily allow for copying; i.e., for a one-to-many evolution, which is clearly not meant here.
- [129] Wolfram recently self-published a long-awaited and widely publicised book which, among other issues, deals with some of the rules categorized for one-dimensional automata [106] and their conceivable physical applications. It has been received ambivalently with reviews ranging from the author doing nice computer graphics to becoming the biggest physics guru of all times [107]. Wolfram has attracted a lot of attention for this subject; and it can only be hoped that the many claims made in this *opus* will not deter others.
- [130] In [108, 140-141], Bernstein writes, *Wheeler said, “I went to Gödel, and I asked him, ‘Prof. Gödel, what connection do you see between your incompleteness theorem and Heisenberg’s uncertainty principle?’ I believe that Wheeler exaggerated a little bit now. He said, ‘And Gödel got angry and*

*threw me out of his office!’ Wheeler blamed Einstein for this. He said that Einstein had brain-washed Gödel against quantum mechanics and against Heisenberg’s uncertainty principle! (The author has asked professor Wheeler and got this anecdote confirmed.)*

- [131] Casti (co-)organized two conferences; one in Santa Fe [109] and one in Abisco [110], bringing together many who were interested in this issue at the time.
- [132] As expressed by Planck [111, p. 387], “*Again it is confirmed that the quantum hypothesis is not based on energy elements but on action elements, according to the fact that the volume of phase space has the dimension  $h^f$ .*”
- [133] In the 3. *Hauptstück, 3. Abschnitt. Von dem transzendentalen Ideal (Prototypon transscendentale)*, of “*Kritik der reinen Vernunft*,” [112], Kant states, “*But again, everything, as regards its possibility, is also subject to the principle of complete determination, according to which one of all the possible contradictory predicates of things must belong to it.*” The German original reads, “*Ein jedes Ding aber, seiner Möglichkeit nach, steht noch unter dem Grundsatz der durchgängigen Bestimmung, nach welchem ihm von allen möglichen Prädikaten der Dinge, sofern sie mit ihren Gegenteilen verglichen werden, eines zukommen muß.*”
- [134] One is also tempted to mention Archimedes’ “*points outside the world from which one could move the earth.*” Mind that Archimedes’ use of “points outside the world” was in a mechanical rather than in a metatheoretical context: he claimed to be able to move any given weight by any given force, however small.
- [135] In [65], Boskovich states, “*... And we would have the same impressions if, under conservation of distances, all directions would be rotated by the same angle, ... And even if the distances themselves would be decreased, whereby the angles and the proportions would be conserved, ...: even then we [[the observers]] would have no changes in our impressions. ... A movement, which is common to us [[the observers]] and to the Universe, cannot be observed by us; not even if everything would be stretched or shrunk by an arbitrary amount.*”
- [136] The author had some problem to publish a paper on embedded observers in relativity theory, apparently because of the rather unconventional nature of the subject. However, after an appeal, the paper became preprint # LBL-16097 [69] and was later published in a revised version [70] (see also [71]). I write this to encourage young researchers not to give up in pursuing their own nonfashionable ideas [113].
- [137] When I was invited to participate to a Linz “*Ars electronica*” conference on “endophysics” in 1992, I

was almost shocked by the similarity between Rössler's thoughts and the ones I had pursued. Reimara Rössler cautioned her husband to commit himself too much to "endophysics," as this might ruin his reputation in the "chaos" community. One follow-up meeting was organized by Atmanspacher in Germany [114]. I later learned that for researchers trained in mathematical system science, like John Casti, embedded observers sounded like a very familiar, almost self-evident concept. [115–117].

[138] Feynman's rule of thumb states that whatever is not explicitly forbidden is mandatory. See also the "go-go" principle introduced in [39].

[139] The term "tuning" is borrowed from the movie *Dark City* by Alex Proyas, where similar motives have been casted.