

Computer Graphics: Color I

Part 2 – Lecture 10

Today's Outline

- Colors in the Real World
- Interaction of Light with Materials
- Human Perception of Light



COLORS IN THE REAL WORLD

Electromagnetic Radiation: Waves

Physics theories of light:

1. waves (classical mechanics)
2. particles (quantum mechanics)







FIGURE 12.1 Electromagnetic spectrum.

Some Neighbors of Visible Light




Spectral Density Function (SDF): $S(\lambda)$

$S(\lambda) = \text{power} / \text{unit wavelength} = \text{energy}$




SDFs for Different Light Sources

Some other light spectra: sunlight, tungsten lamp, fluorescent lamp



Describing Colors using the SDF






INTERACTION OF LIGHT WITH MATERIALS

9

Interaction of Light with Materials

Light \Rightarrow surface of some "body": 3 possible results

1. **Absorption** – energy of selected wavelengths retained within the body
 2. **Transmission** – energy of selected wavelengths travels through and exits the body. Refraction of light occurs at boundaries.
 3. **Reflection** – energy of selected wavelengths "bounces" off surface. Angle of reflection = angle of incidence.
- Also combinations of these 3, such as "internal reflection" when light enters a semi-translucent body, scatters, and some light reflects back out: human skin, Shrek's skin




© 2004 Lewis Hitchner, Richard Lobb & Kevin Novins

10

Interaction of Light with Materials

- Incident (incoming) light energy
 = absorbed energy + transmitted energy + reflected energy
 = retained + passed through + bounced off
- Chemical properties of the body determine the % of each.




- Computer graphics: **reflected** (and refracted), **transmitted light**

© 2004 Lewis Hitchner, Richard Lobb & Kevin Novins

11

Spectral Response Function (SRF)


- Molecular structure of a body determines which wavelengths of light and what amount are absorbed, transmitted, or reflected
- Can be measured with a **spectral response function (SRF)** or filter function



12

Light Source SDF x SRF = Result SDF

SDF of result = product of SRF and light source SDF
 i.e. at each wavelength, multiply SRF % times source energy



© 2004 Lewis Hitchner, Richard Lobb & Kevin Novins

13

SDF x SRF = Result SDF

Why is this relevant for computer graphics?

- All light sources can be defined by their SDF
 - Natural light source: sun, fire
 - Artificial light source: light bulb, laser, LED, computer display
- All light absorbers, transmitters, or reflectors can be defined by their SRF
 - Sensing devices: **absorbed light SRF**
 - Camera (digital photocell, film), human eye (retina)
 - Definition of "colour" =
 integral of (light source SDF × sensor's SRF)
 - Glass, still water, cellophane: **transmitted light SRF**
 - Surface material of an object: **reflected light SRF**

© 2004 Lewis Hitchner, Richard Lobb & Kevin Novins


14

HUMAN PERCEPTION OF LIGHT



The Eye

- Four types of receptors (sensors): R/G/B cones + rods, each has unique SRF




<http://webvision.med.utah.edu/imageswv/fovmoswv.jpeg>

<http://webvision.med.utah.edu/imageswv/Sagschem.jpeg>

15

16

Colour "Blindness"





<http://members.aol.com/protanope/card2.html>

If you didn't see both a yellow circle *and* a faint brown square, you are somewhat "colour blind" (in USA 5.0% of males, 0.5% of females). To find out more, visit:


<http://www.kcl.ac.uk/teares/gktvc/vc/lt/colourblindness/cblind.htm>

Colors and the SDF


- Many different SDFs are perceived by us as the same color!
- When describing a color (as seen by the eye) exactly, we do not need to know full SDF
- Three parameters are enough
- For example: just use hue, luminance and saturation



SRFs for the Eye and a Camera



RGB spectral responses for a Kodak digital camera




<http://www.stanford.edu/class/ee392b/handouts/color.pdf>

<http://www.ecs.csun.edu/~dsalomon/DC2advertis/AppendH.pdf>


Seeing Red, Green and Blue

- A cone cell in the retina measures amount of red, green, or blue wavelength energy (3 SRF's). Responds only in bright light.
- SRF of a rod cell covers all wavelengths (measures "gray level" or intensity) Responds in low light, but not in bright light.
- Integral of R, G, or B cone response produces a single value
Note: SRF's really L, M, S wave responses (long, medium, short), not R, G, B.
Note: low response of short (blue) is scaled up by vision system (after retina).



Seeing Red, Green, Blue (cont'd)

- Example L, M, S responses for various SDF's



- Resulting L, M, and S SRF responses are independent values
- The 3 SRF response values are interpreted as hues by our brain, e.g. red + green = yellow, red + green + blue = white

21

SUMMARY

22

Summary

- **Spectral Density Function (SDF):** describes the wave composition of light with power for each wave length segment
- **Spectral Response Function (SRF):** can be used to specify how much % of each wave length are absorbed or reflected or transmitted
- Light with different SDFs can have the same color for our eye

References:

- Light and Colors: Hill, Chapter 11.1
- Dominant Wave Length: Hill, Chapter 11.2.1

23

Quiz

1. What is a spectral density function (SDF)?
2. In what ways can light interact with a material?
3. How can we describe this interaction?
4. What are hue, luminance and saturation?

24