



COMPSCI 105 S1 2017 Principles of Computer Science

Classes 3



Exercise

▶ Exercise

- ▶ Create a Student class:
 - ▶ The Student class should have three attributes: id, last_name, and first_name.
 - ▶ Create a constructor to initialize the values
 - ▶ Implement the `__repr__` method and `__str__` method

```
>>> s1 = Student(1, 'Angela', 'Chang')
>>> s1
>>> print(s1)
```

```
Student(1, Angela, Chang)
1: Angela Chang
```

2


COMPSCI 105

Lecture06



Reminder – Fraction class

- ▶ Write a class to represent fractions in Python
 - ▶ create a fraction
 - ▶ add
 - ▶ subtract
 - ▶ multiply
 - ▶ divide
 - ▶ text representation



3

COMPSCI 105

Lecture06



Overloading Operators

Fraction.py

- ▶ Python operators work for built-in classes.
 - ▶ But same operator behaves differently with different types.
 - ▶ E.g. the + operator:
 - ▶ perform arithmetic addition on two numbers,
 - ▶ merge two lists
 - ▶ concatenate two strings.
 - ▶ Allow same operator to have different meaning according to the context is called operator overloading

Operator	Expression	Internally
Addition	f1 + f2	f1.__add__(f2)
Subtraction	f1 - f2	f1.__sub__(f2)
Equality	f1 == f2	f1.__eq__(f2)

4

COMPSCI 105

Lecture06



__add__

- ▶ The `__add__` method is called when the `+` operator is used
 - ▶ If we implement `__add__` then we can use `+` to add the objects
 - ▶ `f1 + f2` gets translated into `f1.__add__(f2)`

```
def __add__(self, other):
    new_num = self.num * other.den + self.den * other.num
    new_den = self.den * other.den
    return Fraction(new_num, new_den)
```

```
x = Fraction(1, 2)
y = Fraction(1, 4)
z = x + y
print(z)
```

6/8



__sub__

- ▶ The `__sub__` method is called when the `-` operator is used
 - ▶ If we implement `__sub__` then we can use `-` to do subtraction
 - ▶ `f1 - f2` gets translated into `f1.__sub__(f2)`

```
def __sub__(self, other):
    new_num = self.num * other.den - self.den * other.num
    new_den = self.den * other.den
    return Fraction(new_num, new_den)
```

```
x = Fraction(1, 2)
y = Fraction(1, 4)
z = x - y
print(z)
```

2/8



__eq__

- ▶ The `__eq__` method checks equality of the objects
 - ▶ Default behaviour is to compare the references
 - ▶ We want to compare the contents

```
def __eq__(self, other):
    return self.num * other.den == other.num * self.den
```

```
x = Fraction(12,30)
y = Fraction(2, 5)
print (x == y)
```

True

```
x = Fraction(1, 2)
y = Fraction(1, 4)
print (x == y)
```

False



Exercise 1

- ▶ What is the output of the following code?

```
x = Fraction(2, 3)
y = Fraction(1, 3)
z = y + y
print(x)
print(z)
print(x == z)
```

```
x = Fraction(2, 3)
print (x == 2)
```

AttributeError: 'int' object has no attribute 'den'



Improving `__eq__`

- ▶ Check the type of the other operand
 - ▶ If the type is not a Fraction, then not equal?
 - ▶ What other decisions could we make for equality?

```
def __eq__(self, other):
    if not isinstance(other, Fraction):
        return False
    return self.num * other.den == other.num * self.den
```

```
x = Fraction(2, 3)
print (x == 2)
```

False



Improving your code

- ▶ Fractions:
 - ▶ 12/30
 - ▶ 2/5
 - ▶ The first fraction can be simplified to 2/5
 - ▶ The Common Factors of 12 and 30 were 1, 2, 3 and 6,
 - ▶ The Greatest Common Factor is 6.
 - ▶ So the largest number we can divide both 12 and 30 evenly by is 6
 - ▶ And so 12/30 can be simplified to 2/5



Greatest Common Divisor

- ▶ Use Euclid's Algorithm
 - ▶ Given two numbers, n and m, find the number k, such that k is the largest number that evenly divides both n and m.
 - ▶ Example: Find the GCD of 270 and 192,
 - gcd(270, 192): m=270, n=192 (m≠0, n≠0)
 - Use long division to find that 270/192 = 1 with a remainder of 78. We can write this as: gcd(270,192) = gcd(192,78)
 - gcd(192, 78) : m=192, n=78 (m≠0, n≠0)
 - 192/78 = 2 with a remainder of 36 with a remainder of 78. We can write this as: gcd(192,78) = gcd(78,36)
 - gcd(78, 36) : m=78, n=36 (m≠0, n≠0)
 - 78/36 = 2 with a remainder of 6
 - gcd(78,36) = gcd(36,6)
 - gcd(36, 6) : m=36, n=6 (m≠0, n≠0)
 - 36/6 = 6 with a remainder of 0
 - gcd(36,6) = gcd(6,0) = 6

```
def gcd(m, n):
    while m % n != 0:
        old_m = m
        old_n = n
        m = old_n
        n = old_m % old_n
    return n
```



Improve the constructor

- ▶ We can improve the constructor so that it always represents a fraction using the "lowest terms" form.
 - ▶ What other things might we want to add to a Fraction?

```
class Fraction:
    def __init__(self, top, bottom):
        common = Fraction.gcd(top, bottom) #get largest common term
        self.num = top // common #numerator
        self.den = bottom // common #denominator

    def gcd(m, n):
        while m % n != 0:
            old_m = m
            old_n = n
            m = old_n
            n = old_m % old_n
        return n
```



Examples

▶ Without the GCD

```
x = Fraction(12,30)
y = Fraction(2, 5)
print (x == y)
print(x)
print(y)
```

True
12/30
2/5

▶ Using the GCD:

```
x = Fraction(12,30)
y = Fraction(2, 5)
print (x == y)
print(x)
print(y)
```

True
2/5
2/5

13

COMPSCI 105

Lecture06



Other standard Python operators

▶ Many standard operators and funtions:

<https://docs.python.org/3.4/library/operator.html>

▶ Common Arithmetic operators

- ▶ object.__add__(self, other)
- ▶ object.__sub__(self, other)
- ▶ object.__mul__(self, other)
- ▶ object.__truediv__(self, other)

Inplace arithmetic operators

- object.__iadd__(self, other)
- object.__isub__(self, other)
- object.__imul__(self, other)
- object.__itruediv__(self, other)

+=
-=
...

▶ Common Relational operators

- ▶ object.__lt__(self, other)
- ▶ object.__le__(self, other)
- ▶ object.__eq__(self, other)
- ▶ object.__ne__(self, other)
- ▶ object.__gt__(self, other)
- ▶ object.__ge__(self, other)

Reversed versions:

- object.__radd__(self, other)
- object.__rsub__(self, other)
- object.__rmul__(self, other)
- object.__rdiv__(self, other)
- ...

14

COMPSCI 105

Lecture06



Exercise 2

▶ Implement the `__truediv__` of the Fraction class:

```
a = Fraction(1, 3)
b = Fraction(4, 5)
d = a / b
print (d)
```

5/12

15

COMPSCI 105

Lecture06



Exercise 3

▶ Implement the `__lt__` method to compare two Fraction objects:

```
a = Fraction(1, 3)
b = Fraction(4, 5)
if a < b:
    print("a<b")
else:
    print("a>=b")
```

a<b

16

COMPSCI 105

Lecture06



Forward, Reverse and In-Place

- ▶ Every arithmetic operator is transformed into a method call. By defining the *numeric special methods*, your class will work with the built-in arithmetic operators.
 - ▶ First, there are as many as *three* variant methods required to implement each operation.
 - ▶ For example, `*` is implemented by `__mul__`, `__rmul__` and `__imul__`
 - There are forward and reverse special methods so that you can assure that your operator is properly commutative.
 - ▶ You don't need to implement all three versions.
 - ▶ The reverse name is used for special situations that involve objects of multiple classes.



mul Vs rmul

- ▶ Locating an appropriate method for an operator
 - ▶ First, it tries a class based on the **left-hand operand** using the "forward" name. If no suitable special method is found, it tries the right-hand operand, using the "reverse" name.
 - ▶ Version 1:

```
x = Fraction(2,3)
y = Fraction(1,3)
p = x * y
print(p)

P = x * 2
```

2/9 Invoke x.__mul__(y)

AttributeError: 'int' object has no attribute 'num'

```
class Fraction:
    ...
    def __mul__(self, other):
        new_num = self.num * other.num
        new_den = self.den * other.den
        return Fraction(new_num, new_den)
```



Version 2

- ▶ Check the type of the right operand:

```
x = Fraction(2,3)
y = Fraction(1,3)
p = x * y
print(p)
```

2/9

```
P = x * 2
print(p)
```

4/3

```
P = 2 * x
```

TypeError: unsupported operand type(s) for *: 'int' and 'Fraction'

If the right operand is not a Fraction

```
class Fraction:
    ...
    def __mul__(self, other):
        if isinstance(other, Fraction):
            new_num = self.num * other.num
            new_den = self.den * other.den
            return Fraction(new_num, new_den)
        else:
            new_num = self.num * other
            return Fraction(new_num, self.den)
```



Version 3

- ▶ If the left operand of `*` is a primitive type and the right operand is a Fraction, Python invokes `__rmul__`

```
x = Fraction(2,3)
y = Fraction(1,3)
p = x * y
print(p)
```

2/9

```
P = x * 2
print(p)
```

4/3

```
P = 2 * x
```

4/3 Invoke x.__rmul__(2)

```
class Fraction:
    ...
    def __mul__(self, other):
        if isinstance(other, Fraction):
            ...
    def __rmul__(self, other):
        new_num = self.num * other
        return Fraction(new_num, self.den)
```



In-Place Operators

- ▶ `+=`, `-=`, `*=`, `/=` etc

```
class Fraction:
    ...
    def __iadd__(self, other):
        new_num = self.num * other.den + self.den * other.num
        new_den = self.den * other.den
        common = Fraction.gcd(new_num, new_den)
        self.num = new_num // common
        self.den = new_den // common
        return self
```

```
x = Fraction(2,3)
y = Fraction(1,3)
print(id(x))
x += y
print(id(x))
print(x)
```

Invoke x.__iadd__(y)

6422096
6422096
9/9

Do the calculation in-place

21

COMPSCI 105

Lecture06



Exercise 4

- ▶ Overload the following operators in the Point class:
 - ▶ `+`: return a new Point that contains the sum of the x coordinates and the sum of the y coordinates.
 - ▶ `*`: computes the dot product of the two points, defined according to the rules of linear algebra

```
p1 = Point(3, 4)
p2 = Point(5, 7)
p3 = p1 + p2
print(p3)
```

(8, 11)

```
p4 = p1 * p2
print(p4)
```

43

$3 * 5 + 4 * 7 = 15 + 28 = 43$

22

COMPSCI 105

Lecture06



Exercise 5

- ▶ If the left operand of `*` is a primitive type and the right operand is a Point, Python invokes `__rmul__`, which performs scalar multiplication:

```
p1 = Point(3, 4)
p2 = Point(5, 7)
```

```
p5 = 2 * p2
print(p5)
```

(10, 14)

```
p6 = p2 * 2
print(p6)
```

(10, 14)

23

COMPSCI 105

Lecture06



Summary

- ▶ A class is a template, a blueprint and a data type for objects.
- ▶ A class defines the data fields of objects, and provides an initializer for initializing objects and other methods for manipulating the data.
- ▶ The initializer always named `__init__`. The first parameter in each method including the initializer in the class refers to the object that calls the methods, i.e., **self**.
- ▶ Data fields in classes should be hidden to prevent data tampering and to make class easy to maintain.
- ▶ We can overwrite the default methods in a class definition.

24

COMPSCI 105

Lecture06