Networking and the Internet

Lecture 4 - COMPSCI111/111G SS 2018




"Since we got it, he hasn't moved from that spot for eleven straight days. Oddly enough they call this 'getting up and running' on the internet."

Today's lecture


- History of the Internet
- How the Internet works
- Network protocols

The telephone

1876: first successful bi-directional transmission of clear speech by Alexander Bell and Thomas Watson



1940: first successful transmission of digital data through over telegraph wires by George Stibitz




WWII and the Cold War

- Computer technology played an important role in code-breaking during WW2
- Cold War between US and USSR led to a technology and arms race
 - Peaked with the launch of Sputnik in 1957
- ▶ 1958: Advanced Research Projects Agency (ARPA) established
- April 1969: construction of ARPANET begins, a packet-switching network

Circuit-switching network

- Nodes are connected physically via a central node
- Used by the telephone network
- Originally, switchboard operators had to manually connect phone calls, today this is done electronically






Packet-switching network

- Data is broken into packets, which are then sent on the best route in the network
- Each node on the route sends the packet onto its next destination, avoiding congested or broken nodes

The original message is Green, Blue, Red.




ARPANET

- October 1969: ARPANET is completed with four nodes
- 1973: Norway connects to ARPANET via satellite, followed by London via a terrestrial link

ARPANET in 1977

ARPANET LOGICAL MAP, MARCH 1977



(PLEASE NOTE THAT WHILE THIS MAP SHOWS THE HOST POPULATION OF THE NETWORK ACCORDING TO THE BEST INFORMATION OBTAINABLE, NO CLAIM CAN BE MADE FOR ITS ACCURACY)

NAMES SHOWN ARE IMP NAMES, NOT (NECESSARILY) HOST NAMES

ARPANET

- ▶ 1983: TCP/IP implemented in ARPANET
- ▶ 1990: ARPANET is formally decommissioned

ARPANET to the Internet

- Networks similar to ARPANET sprang up around the USA and in other countries
- ▶ 1984: domain name system (DNS) implemented
- 1985: NSFNET was established
- ▶ 1989: Waikato University connects to NSFNET
- ▶ 1991: World Wide Web (WWW) created at CERN (European Organization for Nuclear Research) by Tim Berners-Lee
- ▶ 1995: NSFNET is retired


WWW vs Internet

- ► The Internet is a global system of interconnected computer networks.
 - Carries a vast range of resources and services.
- WWW is a global collection of documents and other resources accessed through the Internet using HTTP - one of many Internet communication protocols.
 - Documents are linked via hyperlinks and are identified by their URL.

Internet growth

01/06


394,991,609



Number of hosts on logarithmic scale until 2012


Internet usage

Internet Users in the World by Geographic Regions



Source: Internet World Stats - www.internetworldstats.com/stats.htm Estimated Internet users is 1,463,632,361 for Q2 2008 Copyright © 2008, Miniwatts Marketing Group

Internet Users in the World by Geographic Regions - 2014 Q2



Source: Internet World Stats - www.internetworldstats.com/stats.htm 3,035,749,340 Internet users estimated for June 30, 2014 Copyright © 2014, Miniwatts Marketing Group

Types of networks

- Local Area Network (LAN)
 - Operates within 1 km radius
 - Client-server or peer-to-peer configuration
 - Can connect multiple LANs to form an intranet
- Wide Area Network (WAN)
 - Distances over 1km
- ► The Internet
 - Network of networks that use the TCP/IP protocol

How the Internet works

Networking hardware

Protocols


The Internet

IP addresses and Domain names

Client and server software

Networking hardware

- Connection
 - Wired, eg. Ethernet
 - Wireless, eg. Wi-Fi, cellular



- Network card
 - Can be built into the motherboard or an expansion card
 - Some network cards support wired and wireless connections
- Switch
 - Used to connect multiple devices to the same network



- Router
 - Directs traffic around the network and connects networks together



Networking hardware

- Modem (modulator/demodulator)
 - Responsible for transmitting and receiving data on the physical medium
 - For example, a modem:
 - ▶ Modulates data from computer/router onto a phone line
 - Demodulates signals from a phone line and sends to the computer/router
- There are different kinds of modems
 - Dial-up modems up to 56Kbs
 - Broadband (DSL digital subscriber line) modems between 256Kbs to 20Mbs

Protocol

- Protocol: a standardised method of communication
- Ensures that the sender and receiver can communicate properly
- Protocols include rules for:
 - Opening and maintaining a connection
 - Sending and receiving data
 - Ending the connection

Protocols


- Common Internet protocols:
 - TCP/IP: transports data reliably
 - UDP: transports data faster but less reliably
 - FTP: used for transferring files over a network
 - ► HTTP: used for client/server communication such as transferring web pages
 - ► POP3, IMAP, SMTP: used for email
- Many protocols used in networking are defined in a RFC (Request for Comments) document
 - ▶ RFC 791: IP
 - RFC 2616: HTTP

Protocols - TCP/IP, UDP

- IP Internet Protocol:
 - A unique identifier for computers on the Internet
 - Defines routing information
 - ▶ v4: 32-bit addresses (eg. 192.168.1.1), ran out of addresses
 - v6: 128-bit addresses (eg. 2001:0db8:0a0b:12f0:0000:0000:0000:0001)
- TCP Transmission Control Protocol:
 - Divides the message into packets (typically about 1 KB)
 - Checks that all packets arrive (error detection)
 - Ensures packets are not sent faster than they can be received (flow control)
 - Combines packets to recreate the data
- UDP User Datagram Protocol:
 - Lacks error detection and flow control, better suited to realtime data such as video streaming, Skype calls etc.

IP addresses and domain names

- Domain name system (DNS) is used to convert between IP addresses and human-readable text (domain name)
- DNS servers perform the translation between IP address and URL



Client and server software

- Client software:
 - Web browsers



► Email clients:










Server software:




Connecting to the Internet

An Internet Service Provider (ISP) provides you with an IP address and a connection to the Internet



Connecting to the Internet

- At home, you plug your modem into your phone jack
- Your modem sends and receives information from the Internet over your phone line




The Internet's backbone


- High-capacity fibre optic cables laid on land and under the sea
- Owned by companies who rent out capacity on the cables
- They connect countries together to form the global Internet so are extremely important
 - Having multiple backbone cable connections provides extra capacity and redundancy

The Internet's backbone

► Go to <u>www.submarinecablemap.com</u> to see the undersea backbone cables



NZ's backbone cables



Answers

What network model does the Internet use?

What Internet protocol should your program use if it is time-sensitive?

What is the name of the documents that describe the technical details of protocols?

Summary

- The Internet is packet-switching network consisting of multiple networks joined together
- A number of protocols and technologies underpin the Internet
- As more people use the Internet, organisations tasked with maintaining it need to ensure the Internet can handle the increased demand (eg. moving from IPv4 to IPv6)