CS314s2-31 Summing up how the Internet works

- Important protocols we haven't got time for
 - We haven't said nearly enough about security.
- How things fit together
- Guiding principles
- Questions?

Background slide

Other infrastructure topics

- PPP (point-to-point protocol)
- EAP, RADIUS, DIAMETER
 - Authentication, authorisation
- IPSec, IKE (Shay 11.3)
 Applies to IPv4 or IPv6
- VPN (virtual private networks)
- NAT
 - Network address translation
- Firewalls
- SOCKS (firewall traversal)

- Multicast (Shay 11.2)
- Mobile IP, mobility in general
- SASL (simple auth & security)
- SLP (service location)
- RSVP (Shay 11.2)
- ROHC (header compression)
- iSCSI (SCSI over IP)
- RDMA (remote DMA)

Background slide

Other application topics

- MIME (multimedia formats)
- SIP, ENUM
 standards for voice over IP
- Video over IP
- PGP, S/MIME (secure email)
- Internationalised email
- Anti-spam solutions
- LDAP (directory)
- NTP (network time protocol)
- IPP (Internet printing protocol)

- NFS, AFS
 - Remote file systems
- NNTP (network news)
- RSS, ATOMPUB (feeds)
- Instant messaging
- Language tags
- · Web Services
 - XML-based distributed computing over SOAP+HTTP
- Peer to Peer protocols
- Grid computing protocols³

Background slide

The kitchen sink - a list of topics

•This is only to illustrate the complexity and richness of Internet protocols; don't learn it...


MIRS

TN3270 ACAF URI, URL, URN issues APEX VolP ATOM WEBDAV BEEP WIDEX CALSCH FECFRAME CIP ISCSL IFCE DKIM DNS MIDCOM, STUN ONCRPC FDIINT RDDP Email and MIME ROHC ENUM RMT FAX RTP. RTSP. SDP FTP SCTP GEOPRIV HTTP TCP UDP Instant messagin BEHAVE IPP BFD LDAP BGP Language Tags DHCP Multimedia DIFFSERV, PCN NFS FORCES NNTP GROW NTP HIP OPES ICMP RSERPOOL IPv4 SEAMOBY IPv6 SIP, SIPPING IPMTUD iscovery SLP IP multicast TELNET IS-IS TFTP L2VPN, L3VPN TIP

MANET/AUTOCON MohilelE NEMO NETLMM OSPF PPP PTOMAINE **PWF** RIP Router Discovery RSVP, IntegratedServices NSIS SOFTWIRES UDLR VRRF ZEROCONF 16ng (IP over IEEE 802.16) 6lowpan (IPv6 over 802.15.4) GMPLS IP over X **IPolB** IMSS MPLS TRILL ANCF BMWG CAPWAP COPS GSMP IPFIX, PSAMF IPPM

NETCONE POLICY SNMP Traffic Engineering DIAMETER EAP IDX IEPREP. ECRIT INCH IPSEC, IKE KERBEROS and GSS-API KEYPROV LTANS NEA OPENPGP OPSEC OTP PANA PKI RADIUS RPSEC, SIDR SACRED SASL SEND SOCKS SSH SSL/TLS and HTTPS SYSLOG S/MIME XMLDSIG

2



Autonomous Systems В Α Area DNS, DHCP ISP2 **R1** Site servers OSPF Back R3 bone Firewall BGP4 DNS, DHCP servers Local ISP R21 **R99** ISP1 NAT+firewal ADSL user 6

Topology

Background slide

The end-to-end principle (1)

- Note how TCP works it *assumes* that packets may be lost, delayed, corrupted or delivered out of order. The two ends of a TCP connection cooperate to overcome this.
- Note how SSH works it *assumes* that messages may be intercepted and that attackers may try to insert false messages. The two ends of an SSH connection cooperate to overcome this.
- Note how DNS works if a DNS (UDP) message is lost, no harm results except a delay.
- These are all examples of the end-to-end principle at work.

Background slide

The end-to-end principle* (2)

- Certain required end-to-end functions can only be performed correctly by the end-systems themselves.
- Any network, however carefully designed, will be subject to failures of transmission at some statistically determined rate. The best way to cope with this is to give responsibility for the integrity of communication to the end systems. A similar argument applies to intrusions.
- No solution buried inside the network can give the same level of assurance as the end systems.
 - For example, end-to-end encryption is intrinsically safer than router-to-router encryption.

* see References

7

Other principles (1)

- Heterogeneity by design
- Avoid duplicate solutions
- Scaleable designs
- Performance and cost must be considered as well as functionality.
- KISS (keep it simple, stupid!)
- Modularity is good
- Good enough is enough (don't seek perfection)
- Minimise use of options
- Be strict when sending and tolerant when receiving.

Background slide

Other principles (2)

- Be parsimonious with unsolicited packets, especially multicasts and broadcasts.
- Circular dependencies must be avoided.
- Objects should be self decribing (type and size)
- Nothing gets fully standardised until there are multiple instances of running code.
- Avoid design that requires hard coded addresses.
- Addresses must be unambiguous (NAT breaks this!)
- Designs should be fully international.
- All protocols need strong security (early ones didn't!)

Questions?

• What haven't you understood in this course?

References

- RFC 1958: Architectural principles of the Internet
 - End-to-end principle paraphrased from "End-To-End Arguments in System Design", J.H. Saltzer, D.P.Reed, D.D.Clark, ACM TOCS, Vol 2, Number 4, 1984.
- "Why the Internet only just works" by Prof. Mark Handley, University College London.

http://www.cs.ucl.ac.uk/staff/ M.Handley/papers/only-just-works.pdf

11

10