

COMPSCI 101

Principles of Programming

Lecture 15 – the split() method, updating the elements of lists, lists are mutable objects

Learning outcomes

At the end of this lecture, students should be able to:

- use the index number to access individual elements of a list
- make changes to the elements of a list
- copy the values of a list
- use the split() method on a string to obtain a list of string objects
- lists are mutable objects

Recap

From lecture 14

- we can iterate through the elements of a list using a for...in loop
- calculations can be done using the values in the elements of a list

```
def start_with_vowel_count(a_list):
    vowels = "aeiouAEIOU"
    count = 0
    for word in a_list:
        if vowels.find(word[0]) > -1:
            count = count + 1
    return count

def main():
    my_list = ['Nobody', 'goes', 'to', 'that', 'restaurant',
              'because', 'it', 'is', 'too', 'crowded']
    vowel_starters = start_with_vowel_count(my_list)
    print("Start with a vowel", vowel_starters)
main()
```

Start with a vowel: 2

Accessing elements from the end of a list

A negative index value can be used to access the elements from the end of a list.

```
my_list = [10, 20, 30, 40, 50]
print(my_list[-4])
my_list[-3] = my_list[-1] + my_list[-2]
print(my_list[-3], my_list[1], my_list[-5])
```

```
20
90 20, 10
```

my_list		
0	10	-5
1	20	-4
2	30	-3
3	40	-2
4	50	-1

Why does the following not work as intended?

In the following `for...in` loop, each element of the list is accessed but ...

What if the intention was to update the element values in the list?

```
def main():
    a_list = [10, 8, 6, 4, 7]
    print("1.", a_list)

    for number in a_list:
        number = number * 2
        print(number, end=" ")

    print()
    print("3.", a_list)

main()
```

```
1. [10, 8, 6, 4, 7]
20 16 12 8 14
3. [10, 8, 6, 4, 7]
```

Note that in the above example, the values of the elements in the list have not changed in any way.

Updating the elements in the list

The elements in a list can be updated if we assign to each element of the list using the **index** of the element, e.g.,

```
def main():
    a_list = [10, 8, 6, 4, 7]
    print("1.", a_list)
    number_of_elements = len(a_list)

    for index in range(number_of_elements):
        a_list[index] = a_list[index] * 2

    print("2.", a_list)

main()
```

```
1. [10, 8, 6, 4, 7]
2. [20, 16, 12, 8, 14]
```


Changing a value at an index location updates the element of the list.

Give the output

```
def main():
    my_list = [10, 8, 6, 4, 7]

    for index in range(len(my_list)):
        print(index, my_list[index] * index)

main()
```



Complete the main() function

Complete the code in the `main()` function which adds 1 to each list element in the list which has an odd value.

```
import random
def main():
    a_list = []
    for index in range(10):
        a_list = a_list + [random.randrange(1, 100)]

    print("1.", a_list)

    ← #write code here

    print("2.", a_list)

main()
```

```
1. [69, 98, 7, 92, 13, 9, 27, 36, 96, 46]
2. [70, 98, 8, 92, 14, 10, 28, 36, 96, 46]
```

Complete the main() function

Complete the code in the `main()` function which changes the elements **starting from index 1** so that each element is the accumulative total of the previous elements (i.e., element 1 is the sum of the element 0 and element 1, element 2 is the sum of element 1 and element 2, etc.).

```
import random
def main():
    a_list = []
    for num in range(10):
        a_list = a_list + [random.randrange(1, 10)]
        print("1.", a_list)

    print("2.", a_list)

main()
```

← #write code here

1. [8, 1, 9, 5, 6, 3, 6, 4, 5, 6]
2. [8, 9, 18, 23, 29, 32, 38, 42, 47, 53]

Complete the main() function

Complete the code in the `main()` function which changes each string element of the list **into an integer**.

```
import random
def main():
    a_list = ["6", "7", "5", "3", "8", "1", "9", "2", "8"]
    print("1.", a_list)

    print("2.", a_list)

main()
```

← #write code here

1. ['6', '7', '5', '3', '8', '1', '9', '2', '8']
2. [6, 7, 5, 3, 8, 1, 9, 2, 8]

The string method, split()

The **string method**, `split()`, separates a **single string** into **a list of the parts of the string** (the tokens) using the separator defined (inside the parentheses). Each element of the resulting list is a string object. This method can be applied to any string object.

If no separator is defined (as in the code below), whitespace is the default separator, e.g.,

```
def main():
    phrase = 'The best cure for insomnia is to get a lot of sleep'

    words_list = phrase.split()
    print(words_list[0], words_list[4], words_list[7])

main()
```

The insomnia get

The split() method - example

```
1 def main():
2     prompt = "Enter a line of numbers: "
3     line_of_nums = input(prompt)
4     list_of_nums = line_of_nums.split()
5
6     for index in range(len(list_of_nums)):
7         list_of_nums[index] = int(list_of_nums[index])
8
9     total = 0
10    for number in list_of_nums:
11        total = total + number
12    print("Total:", total)

main()
```

Enter a line of numbers: 4 6 12 13 9
Total: 44

Enter a line of numbers: 5 -3 6 8 1
Total: 17

Note that `split()` function breaks a **string** up into a **list of strings**.

Assigning a list object to a variable


```
list1 = [1, 2, 3]
list2 = list1
list3 = [1, 2, 3]

print(list1)
print(list2)
print(list3)

list1[2] = list1[2] + 1
list2[2] = list2[2] + 1
list3[2] = list3[2] + 1

print()
print(list1)
print(list2)
print(list3)
```

Python lists are **objects**. When an object is assigned to a variable, **the reference (i.e., the address) is copied** and stored in the variable.



```
[1, 2, 3]
[1, 2, 3]
[1, 2, 3]
[1, 2, 5]
[1, 2, 5]
[1, 2, 4]
```

Same output?

Do the following two sections of code give the same output? If not, what is the difference in output?

Code A

```
list1 = [1, 2, 3]
list2 = list1

for index in range(len(list1)):
    list2[index] = list1[index] * 2

print("1.", list1)
print("2.", list2)
```

Code B

```
list1 = [1, 2, 3]
list2 = [1, 2, 3]

for index in range(len(list1)):
    list2[index] = list1[index] * 2

print("1.", list1)
print("2.", list2)
```

Summary

In a Python program:

- a `for ... in` loop can be used to access each individual element of a list
- a `for ... in range()` loop can be used to make changes to individual element of a list
- a list is an object. Assigning a list to a variable makes a copy of the reference (not a copy of the list).
- lists are mutable objects
- we use the `split()` method to break a string into a list of strings. The default separator for the `split()` method is whitespace.

Examples of Python features used in this lecture

```
def change_list(a_list):
    number_of_elements = len(a_list)
    for i in range(number_of_elements):
        a_list[i] = a_list[i] * 2

def use_lists(list1, list2):
    list3 = []
    for index in range(len(list1)):
        list3 = list3 + [list1[index] + list2[index]]

    return list3

def split_message(message):
    words = message.split()
    print(words[2], words[0])
```