

At the end of this lecture, students should be able to
draw 2D shapes using characters
draw 2D shapes on a Canvas




COMPSCI 101 Principles of Programming

Lecture 26 - Using the Canvas widget to draw rows
and columns of shapes



Drawing 2D shapes using Characters

- ▶ We write programs to draw 2D shapes using characters
 - ▶ (e.g. asterisks)



- ▶ The way to conceptualize this is to think about the shape as **a sequence of rows** and to think carefully about **how to** describe the i^{th} row, e.g. drawing a triangle.
- ▶ These kinds of problems will help you learn how to write loops by finding **appropriate formulas** to describe each iteration of the loop in terms of the iteration variable.

2



Printing a Row of characters

Example00.py

DEMO

- ▶ The following example prints only one row of '#' characters using a SINGLE for loop.

```
def print_row(number_of_cols):  
    for j in range(number_of_cols):  
        print('#', end="")  
    print()
```

```
###
```

Print a new line character
(i.e. move to next line)

3



Printing Multiple Rows of Characters

- ▶ To create rows and columns of shapes we need nested loops
 - ▶ That is, loops within loops to execute lines of code.

Set up all the variables needed for the nested loop
for ... in loop which dictates how many rows:
Set everything up ready for drawing the row
for ... in loop which handles one single row:
draw a single character
move to next line

```
***  
***  
***  
***
```

- ▶ The first (outer) loop is looping through rows, the inner loop is looping through columns.
- ▶ As we go through each column of a given row, we print an asterisk. The result is that we can build any size rectangle we want.

4



1) Printing a Rectangle of Characters

▶ To print a rectangle, we need two parameters:

- ▶ number of rows = 4 rows
- ▶ number of columns = 3 columns

```
***
***
***
***
```

```
***
```

```
***
```

```
***
```

```
***
```

Set up all the variables needed for the nested loop

for ... in loop ...
for ... in loop which handles one single row:
 draw 3 asterisks
 move to next line

- ▶ The outer for loop contains two statements:
 - ▶ 1) inner for loop
 - ▶ 2) print(): move cursor to the next line
- ▶ The inner for loop contains one statement:
 - ▶ statement which prints a character



1) Printing a Rectangle of Characters

▶ To print a rectangle, we need two parameters:

- ▶ number of rows = 4 rows
- ▶ number of columns = 3 columns

```
***
***
***
***
```

```
***
```

```
***
```

```
***
```

```
***
```

Set up all the variables needed for the nested loop

for ... in range ... 4 rows
for ... in range ... 3 columns
 draw 1 asterisk
 move to next line

```
def print_square(number_of_rows, number_of_cols):
    for i in range(number_of_rows):
        for j in range(number_of_cols):
            print('*', end=" ")
        print()
```



2) Printing a right-angle Triangle

▶ To print a right-angle triangle, we need one parameter:

- ▶ number of rows = 4 rows

```
*
**
***
****
```

```
*
```

```
**
```

```
***
```

```
****
```

Set up all the variables needed for the nested loop

for ... in loop ... 4 rows
for ... in loop which handles one single row:
 if it is the first row, draw 1 asterisk
 if it is the second row, draw 2 asterisks
 if it is the *i*th row, draw *i* asterisks
 move to next line

- ▶ The outer for loop contains two statements:
 - ▶ 1) inner for loop
 - ▶ 2) print(): move cursor to the next line
- ▶ The inner for loop contains one statement:
 - ▶ statement which prints one or more character(s)



2) Printing a right-angle Triangle

▶ To print a right-angle triangle, we need one parameter:

- ▶ number of rows = 4 rows

```
*
**
***
****
```

```
*
```

```
**
```

```
***
```

```
****
```

Set up all the variables needed for the nested loop

for ... in range ... 4 rows
for ... in range ...
 row = 0, number of columns = 1
 row = 1, number of columns = 2
 row = 2, number of columns = 3
 move to next line

```
def print_right_angle_triangle(number_of_rows):
    for row in range(number_of_rows):
        for column in range(row+1):
            print('*', end=" ")
        print()
```



Exercise 1

Task:

- Complete the following code fragment to print ...

```
def print_right_angle_triangle(number_of_rows):
    for row in range(number_of_rows):

        print()
```

```
*
**
***
****
```



Program skeleton

- All the programs in this lecture have the following code skeleton.
- The draw_shapes() function is different for each exercise.

```
def main():
    root = Tk()
    root.title("My first Canvas")
    root.geometry("400x300+10+20")
    a_canvas = Canvas(root)
    a_canvas.config(background="pink") #some colour
    a_canvas.pack(fill=BOTH, expand = True)
    draw_shapes(a_canvas)
    root.mainloop()

main()
```



Drawing 2D shapes on a Canvas


- In order to draw a 2D shape (e.g. multiples of squares) on a canvas, we need:

- The number of rows and number of columns
- Size of each square (size=50)
- Start point (x_margin, y_margin) = (20, 30)
- Nested loops
- Coordinates of the top left corner of each square

Size of the squares is 50 pixels by 50 pixels

Example:


- 1st (20, 30), (70, 30), (120,30) ...
- 2nd (20, 80), (70,80), (120, 80)
- ...



Example 3

- Let's look at ONE row of the shape FIRST:

- x = 20 (starts at 20 on each row)
 - Coordinates of the first square: (20, 30, 70, 80)
 - ... Second square: (70, 30, 120, 80)
 - ... Third square (120, 30, 170, 80)



```
x_left = left_hand_side


for j in range(number_of_columns):
    rect = (x_left, y_down , x_left + size, y_down + size)
    a_canvas.create_rectangle(rect)
    x_left += size
```

modify x-coordinate of the square in each iteration



Drawing ... on a Canvas

- ▶ Now, we look at the entire shape. We need nested loops!
- ▶ The outer loop iterates number of rows.
 - ▶ 1st row : coordinate of the top left corner: (20, 30) and the next one is (70, 30) and (120, 30) ...
 - ▶ 2nd row: coordinate of the top left corner: (20, 80) and the next one is (70, 80) and (120, 80) ...
 - ▶ 3rd row: : coordinate of the top left corner: (20, 130) and the next one is (70, 130) and (120, 130) ...
 - ▶ ...



13



Drawing ... on a Canvas

- ▶ We put them together:

Set up all the variables needed for the nested loop
for ... in loop which dictates how many rows:
 Set everything up ready for drawing the row
for ... in loop which handles one single row:
 draw a single shape
 change the x value to move along the row
 change the y value ready for the next row down

Outer loop:

```
for i in range(number_of_rows):
    x_left = left_hand_side
```

reset the starting position of each row

```
    for j in range(number_of_columns):
        rect = (x_left, y_down, x_left + size, y_down + size)
        a_canvas.create_rectangle(rect)
        x_left += size
```

Inner loop:

```
    y_down += size
```

adjust the y coordinates

14



Drawing ... on a Canvas

Example03.py

DEMO

reset the starting position of each row

(20,30) x_left = left_hand_side	(70, 30) x_left += size y no change	(120, 30) x_left += size y no change
(20,80) x_left = left_hand_side	(70, 80) x_left += size y no change	(120, 80) x_left += size y no change
(20,130) x_left = left_hand_side	(70, 130) x_left += size y no change	(120, 130) x_left += size y no change

y_down += size

y_down += size

- ▶ Algorithm:

Set up all the variables needed for the nested loop
for ... in loop which dictates how many rows:
 Set everything up ready for drawing the row
for ... in loop which handles one single row:
 draw a single shape
 change the x value to move along the row
 change the y value ready for the next row down

15



Quizzes

- ▶ Consider the following code fragment:

```
def rectangular_grid(a_canvas):
    number_of_columns = 3
    number_of_rows = 4
    left_hand_side = 50
    y_down = 100
    size = 20
    for i in range(number_of_rows):
        x_left = left_hand_side          #position A
        for j in range(number_of_columns):
            rect = (x_left, y_down, x_left + size, y_down + size)
            a_canvas.create_rectangle(rect)
            x_left += size                #position B
        y_down += size
```




16



Example 4

▶ What should we do in order to draw the following shapes?

- ▶ First row:
 - ▶ Fill, draw, fill, draw...
- ▶ Second row:
 - ▶ Draw, fill, draw, fill ...
- ▶ Third row
 - ▶ Fill, draw, fill, draw...



```
rect = (x_left, y_down, x_left + size, y_down + size)
a_canvas.create_rectangle(rect, fill="blue")
```

Command to create the filled square


```
rect = (x_left, y_down, x_left + size, y_down + size)
a_canvas.create_rectangle(rect)
```



4) Drawing ... on a Canvas

▶ Using a Boolean variable

- ▶ First row:
 - ▶ True, False, True, False...
- ▶ Second row:
 - ▶ False, True, False, True...
- ▶ Third row
 - ▶ True, False, True, False...



4) Drawing ... on a Canvas

▶ What is the output of the following code fragment?

```
is_filled = True
for i in range(5):
    print(is_filled, end=" ")
    is_filled = not is_filled
```

True False True False True

i	is_filled
	True
0	False
1	True
2	False
3	True
4	False



Drawing ... on a Canvas

▶ We put them together:

x-margin, y-margin, width, height, first_in_row_filled=True
 Set up all the variables needed for the nested loop
 set up y-position

for ... in loop which dictates how many rows:
 Set everything up ready for drawing the row
 set up x-position, is_filled

for ... in loop which handles one single row:
 draw a single shape
 change the x value to move along the row
modify the is_filled boolean
 change the y value ready for the next row down
modify the first_in_row_filled boolean

Outer loop:

Inner loop



Drawing ... on a Canvas

▶ Nested Loops:

```

first_in_row_filled = True
for i in range(number_of_rows):
    x_left = left_hand_side
    is_filled = first_in_row_filled
    for j in range(number_in_row):
        rect = (x_left, y_down, x_left + size, y_down + size)
        if is_filled:
            a_canvas.create_rectangle(rect, fill="blue")
        else:
            a_canvas.create_rectangle(rect)
        x_left = x_left + size
        is_filled = not is_filled

    y_down = y_down + size
    first_in_row_filled = not first_in_row_filled


```



Example 5


▶ Steps:

- ▶ 1st iteration of outer loop -> repeat 5 iterations in the inner loop
- ▶ 2nd iteration of outer loop -> repeat 4 iterations in the inner loop
- ▶ 3rd iteration of outer loop -> repeat 3 iterations in the inner loop
- ▶ 4th iteration of outer loop -> repeat 2 iterations in the inner loop
- ▶ 5th iteration of outer loop -> repeat 1 iteration in the inner loop



is_circle boolean

first_is_circle	is_circle				
True	True	False	True	False	True
False	False	True	False	True	
True	True	False	True		
False	False	True			
True	True				



Exercise 2

▶ Draw the canvas

```

def draw_shapes(a_canvas):
    number_of_rows = 6
    size = 30
    y_down = 0
    left_hand_side = size


    for number_along_row in range(1, number_of_rows + 1):
        x_left = left_hand_side

        for j in range(number_along_row):
            rect = (x_left + 2, y_down + 2, x_left + size - 2, y_down
                    + size - 2)

            a_canvas.create_oval(rect, fill="blue")
            x_left = x_left + size * 2

        y_down = y_down + size

```



gridlines are of size 30 pixels