






CDMTCS
Research
Report
Series




The Algorithmic Pivot:
Truth, Rigor, and Ethics in
Mathematical Research



C. S. Calude
University of Auckland



CDMTCS-594
4 October 2026



Centre for Discrete Mathematics and
Theoretical Computer Science

The Algorithmic Pivot: Truth, Rigor, and Ethics in Mathematical Research

Cristian S. Calude
University of Auckland, New Zealand

3 October 2026

Abstract

The practice of mathematics is undergoing its most significant transformation since the invention of symbolic notation. This paper presents a historical and philosophical analysis of a concrete institutional roadmap for preserving mathematical autonomy in an age of automated research.

1 Introduction: The Paradigm Shift

As we move further into the 21st century, the mathematical community is confronting a paradigm shift: the integration of Artificial Intelligence (AI) into the very engine of research. This development does not merely accelerate computation; it fundamentally challenges the traditional definition of mathematical proof, the role of human intuition, and the discipline’s ethical foundations. This paper continues an analysis initiated in the article [10] and draws on the guidelines of the *Leiden Declaration* [24] to illustrate the critical intersection between the evolution of mathematical rigor and the urgent need to maintain professional standards.

2 The Evolving Nature of Proof

The history of mathematics is a trajectory of shifting definitions regarding what constitutes a valid proof. Proofs are analyzed at three levels: syntactic, semantic, and pragmatic. As documented in [10], mathematics has traversed eight distinct stages, evolving from the Babylonian era of intuition and observation to the Greek discovery of deductive geometry. For centuries, the “Euclidean ideal” step-by-step, deductive, and fully verifiable proof served as the gold standard of rigor [10], and in all this time, mathematical proofs required only reason.

In the last quarter of the 20th century, mathematical proofs started to use another way to acquire knowledge, the *experiment*. The paradigm shift led to a crisis of scale and nature that began in the 20th century and intensified in the 21st century. The *Leiden Declaration* notes that technological developments have initiated a significant chapter in this history [24]. The “algorithmic turn precipitated this shift,” most notably the 1976 proof of the Four-Color Theorem [3], which marked the reconciliation of empirical-experimental mathematics with deductive mathematics. The result, a computer-assisted proof, was a “hybrid proof” that a human could not realistically read or verify in its entirety [10].

3 Syntactic Rigor vs. Semantic Meaning

The slogan “more rigor, less meaning,” or conversely “less rigor, more meaning,” defines the core tension in contemporary mathematical philosophy [10]. As René Thom famously argued,

“If one must choose between rigor and meaning, I shall unhesitatingly choose the latter.”
[29].

This choice highlights a critical divide between the syntactic dimension of the manipulation of symbols and formal logic and the semantic dimension, which concerns the “conceptual understanding” of why a result holds [10].

The critique of “Oracles” is central to this concern. As P. Halmos lamented more than 40 years ago in response to computer-assisted proofs,

The present proof relies in effect on an Oracle, and I say down with Oracles! They are not mathematics! [20].

Halmos’s objection is foundational: a mathematical proof should be a human-readable argument that imparts understanding [20, 21]. In the AI era, the machine has become the ultimate Oracle. When a Large Language Model or a proof assistant generates a solution, it provides an objective argument without the human-centric narrative that characterizes a “good” proof. We are taking the machine’s word for it, a practice that contradicts the historical standard of independent, human-verifiable scrutiny [10, 23]. If we accept the output of an algorithm as a proof, we are no longer practicing the “art of understanding” that has defined the discipline since the Greeks; we are engaging in intellectual black-boxism [10, 30].

4 Threats to the Mathematical Commons

While the philosophical debate is intellectually stimulating, the *Leiden Declaration* warns that the speed of AI development poses immediate threats [24].

Automated techniques can produce plausible but unreliable arguments that mimic correct proofs [24]. The danger is that AI makes mistakes that are difficult to distinguish from correct reasoning, placing the traditional peer-review system under unsustainable pressure [24].

Mathematics relies on a “published commons” [24]. Current AI models are trained by scraping this commons without providing proper attribution to the human works they synthesize [24]. This undermines the merit-based system of intellectual credit established in the mathematical community [10, 24] and, more generally, in science.

The rise of AI creates a perverse incentive structure where research is incentivized for its own sake rather than for the significance of the problems addressed [24]. Furthermore, mounting budgetary pressure forces departments to rely on computational resources from private technology firms, shifting the research agenda toward problems useful to corporate sponsors [22, 24]. This loss of autonomy threatens the scope and depth of mathematical research itself [24].

5 Implementing the Leiden Declaration: A Roadmap for Reform

To reconcile the rise of AI with mathematical values, we propose the following institutional roadmap based on the *Leiden Declaration* [24] and the *UNESCO Recommendation on Open Science* [27].

Universities must construct localized, open-access computing environments to mitigate “Commercial Capture.” This requires pooling resources across departments, mathematics, physics, and

computer science to achieve economies of scale [24, 25]. Administration must view computing as a core utility, not a commoditized service subject to vendor lock-in [24].

We must decouple “research productivity” from the volume of machine-generated output [24]. Tenure and promotion committees should adopt frameworks that value the documentation of proofs, the effort devoted to independent verification, and the creation of pedagogical resources over H-indices or citation counts [17, 19].

Institutions must adopt a standardized “Tool and Computational Resource Disclosure” (TCRD) section in all research papers [24]. Much like “Conflict of Interest” statements, this must be a mandatory requirement for graduation and for research output, ensuring AI use is never obscured [24, 28].

6 The Navier-Stokes Millennium Prize Problem

In May 2000, the Clay Mathematics Institute of Cambridge, Massachusetts, established seven Prize Problems considered the most difficult problems that mathematicians were grappling with at the turn of the second millennium. The Navier-Stokes equations use Newton’s second law of motion to describe how fluids move. The model treats a fluid as a continuous medium rather than tracking individual molecules. These equations are used for aircraft design, weather forecasting, and the study of blood flow. The problem remained unresolved for roughly 90 years.

On 8 September 2026, an internal OpenAI produced an analytical solution of the problem <https://openai.com/index/navier-stokes-solution/>. OpenAI claimed that the goal of the computation was to report on the substantial progress of their AI models; it didn’t claim the Millennium Prize for this result. OpenAI deployed roughly 10,000 autonomous AI agents working concurrently for 88 hours. The cost of the solution was between \$6 million and \$15 million in raw computing power. After the initial computation ended, OpenAI used its GPT-6 Astra model to spend an additional 17 hours formalizing and verifying the 166-page proof in Lean, a proof assistant and a functional programming language, [https://en.wikipedia.org/wiki/Lean_\(proof_assistant\)](https://en.wikipedia.org/wiki/Lean_(proof_assistant)).

As with solutions to important problems in mathematics, another solution by NYU Professor T. Buckmaster and Anthropic researcher Levent Alpöge disputed the priority of the OpenAI solution, claiming that they had posted a Lean-verified proof of the forced Euler equations, a special case of Navier Stokes, just hours before the OpenAI announcement, https://en.wikipedia.org/wiki/Navier-Stokes_priority_controversy.

7 Wolfram: What’s the Future for Pure Math Research in the Age of AI?

Although mathematicians working in mathematical logic define mathematics as the “mechanical derivation” of theorems from axioms, real research does not operate at the raw axiomatic level: it builds and navigates abstract conceptual structures.

Pure computational systems can generate a huge number of new theorems (ruliology), but without human framing, this yields “alien mathematics” that does not connect with human concepts or history. Just as Mathematica, https://en.wikipedia.org/wiki/Wolfram_Mathematica and Wolfram Language, https://en.wikipedia.org/wiki/Wolfram_Language raised the ceiling on what mathematics could achieve by automating routine symbolic calculations, the future will require high-level computational languages that allow humans to express complex abstract ideas cleanly, leaving the tedious verification and mechanical execution to machines.

The ultimate value of mathematics lies in the creation of concepts and narratives that fit into human minds. AI is a powerful tool for exploring the map of known and computable ideas, but the human role remains indispensable for deciding what matters and which questions to ask, <https://tinyurl.com/2tdzdj6n>.

8 Chaitin: Is Mathematics Mechanical or Creative?

Formalism and intuitionism are two major competing philosophies of mathematics that emerged at the beginning of the last century; they disagree on what mathematical truth actually is and how it should be practiced.

Intuitionism views mathematics strictly as a product of the human mental construction. Pioneered by L. E. J. Brouwer, intuitionists argue that a mathematical object only exists if it can be explicitly constructed or computed by the mind. For D. Hilbert, mathematics is a formal game of manipulating symbols according to explicit, agreed-upon rules. Formalists believe mathematical objects do not need an independent or physical reality; a statement is true or “exists” simply if it can be derived within a free of contradictions formal axiomatic system. Hilbert sought without success to prove the consistency of all mathematics. This “dream” was dashed in three ways! K. Gödel proved the incompleteness theorem by formalizing “the statement is unprovable” [18]. In computability theory, the Halting Problem – the decision problem of determining, given an arbitrary computer program and an input, whether the program will eventually halt or continue running indefinitely – was proved undecidable/unsolvable by M. Davis [9], p. 260. In algorithmic information theory, Chaitin’s Halting Probability Omega is irreducible mathematical information: one needs an n -bit formal theory to determine n bits of Omega [13]. According to Chaitin, FILE 2026 – INTER-CREATIVITY: Opening Lecture, <https://www.youtube.com/watch?v=cQjEAvzwDyw>,

*People should be as intuitive, irrational, un-machine-like as possible.
Math is an art! You have to be inspired! You have to be obsessed!*

9 An opinion, Not a Fact: Preserving the Human Element

The transition to the “unconventional” proofs of the AI age is not a decline, but a transformation [10]. Mathematics is and will remain a “human activity” [10]. It exists as a mental and cultural endeavor, not merely a computational one [21]. By upholding standards of attribution, investing in public infrastructure, and maintaining research autonomy, the mathematical community can ensure that the age of AI-driven research remains a new chapter in the history of human understanding, rather than the end of it [10,24].

Tool and Computational Resource Disclosure

I used Grammarly and Claude to check grammar and verify information.

References

- [1] Aschbacher, M. (2004). The status of the classification of finite simple groups. *Notices of the Amer. Math. Soc.*, 51(7), 736–740.
- [2] Auburn, D. (2001). *Proof: A Play*. Faber and Faber.

- [3] Appel, K., Haken, W. (1989). *Every Planar Graph is Four Colorable*. Contemporary Mathematics 98, AMS.
- [4] Babai, L. (1994). Probably true theorems, cry wolf? *Notices of the Amer. Math. Soc.*, 41(5), 453–454.
- [5] Bailey, D. H., Borwein, J. M. (2001). Experimental mathematics: Recent developments and future outlook. In *Mathematics Unlimited 2001 and Beyond*. Springer-Verlag, 51–66.
- [6] Barrow, J. (1998). *Impossibility: The Limits of Science and the Science of Limits*. Oxford University Press.
- [7] Borwein, J. M., Bailey, D. H. (2003). *The Experimental Mathematician: Plausible Reasoning in the 21st Century*. A. K. Peters.
- [8] Calude, C. S. (2002). *Information and Randomness: An Algorithmic Perspective* (2nd ed.). Springer-Verlag.
- [9] Calude, C. S. *To Halt or To Halt or Not to Halt? That is the Question*, World Scientific, Singapore, 2024.
- [10] Calude, C. S., Calude, E., Marcus, S. (2004). Passages of proof. *Bull. Eur. Assoc. Theor. Comput. Sci.* 84 (2004), 167–188. Reprinted in S. Marcus. *Words and Languages Everywhere*, Polimetria, Milano, 2007, 89–102.
- [11] Casti, J. L. (2001). *Mathematical Mountaintops*. Oxford University Press.
- [12] Chaitin, G. J. (1975). Randomness and mathematical proof. *Scientific American*, 232 (5), 47–52.
- [13] Chaitin, G. J. (1987) *Algorithmic Information Theory*, Cambridge University Press, Cambridge.
- [14] Connes, A., Linchenerowicz, A., Schützenberger, M. P. (2001). *Triangle of Thoughts*, AMS.
- [15] Dieudonné, J. (1986). *Pour l’honneur de l’esprit humain*. Gallimard.
- [16] Dijkstra, E. W. (1988). *Real mathematicians don’t prove* (EWD1012). University of Texas at Austin, <https://www.cs.utexas.edu/~EWD/transcriptions/EWD10xx/EWD1012.html>.
- [17] DORA (2012). *San Francisco Declaration on Research Assessment*, <https://sfdora.org>.
- [18] Gödel, K. (1931) Über formal unentscheidbare Sätze der Principia Mathematica und verwandter Systeme I, *Monatshefte für Mathematik*, 38:173–198.
- [19] Gustafsson, B., Ryden, L., Tibell, G., and Wallensteen, P. (1984). Uppsala code of ethics for scientists, *Journal of Peace Research* 21,4 (1984), 311–316.
- [20] Halmos, P. (1985). *I Want to be a Mathematician: An Automathography*. Springer-Verlag, New York.
- [21] Hersh, R. (1997). *What Is Mathematics, Really?*, Vintage, New York.
- [22] Knuth, D. E. (1985). Theory and practice. *EATCS Bull.*, 27, 14–21.

- [23] Lakatos, I. (1976). *Proofs and Refutations*. Cambridge University Press.
- [24] Leiden Declaration on Artificial Intelligence and Mathematics (2026), <https://leidendeclaration.ai>.
- [25] Manin, Y. I. (1998). Truth, rigor, and common sense. In H. G. Dales (ed.), G. Oliveri (ed.) *Truth in Mathematics*. Clarendon Press, 147–159.
- [26] UK Government (2007). *Universal Ethical Code for Scientists*, <https://www.gov.uk/government/publications/universal-ethical-code-for-scientists>.
- [27] UNESCO (2021). *UNESCO Recommendation on Open Science*. UNESCO Publishing.
- [28] Wilkinson, M. D., et al. (2016). The FAIR Guiding Principles for scientific data management. *Scientific Data*, 3,1, 160018.
- [29] Thom, R. (1973). Modern mathematics: Does it exist? In *Developments in Mathematical Education*. Cambridge University Press, 194–210.
- [30] Thurston, W. P. (1994). On proof and progress in mathematics. *Bulletin of the American Mathematical Society*, 30(2), 161–177.
- [31] The Millennium Prize Problems, Clay Mathematics Institute, <https://www.claymath.org/millennium-problems/>.