

VLSI Layouts and DNA Physical Mappings

Michael J. Dinneen

Computer Research and Applications

Los Alamos National Laboratory

Los Alamos, N.M. 87545

1 Introduction

In this short note, we show that an important problem in computational biology is equivalent to a colored version of a well-known graph layout problem. In order to map the human genome, biologists use graph theory, particularly interval graphs, to model the overlaps of DNA clones (cut up segments of a genome) [Mir94]. For engineers, Very-Large-Scale-Integrated (VLSI) circuits must be laid out in order to minimize physical and cost constraints. The vertex separation (see below) of a graph layout is one such measurement of how good a layout is.

The NP-complete combinatorial problem of *Intervalizing Colored Graphs* (ICG) first defined in [FWH93] (and independently given in [GKS93] as the *Graph Interval Sandwich* problem) is intended to be a limited, first-step model for finding DNA physical mappings. For this model, it is assumed that the biologist knows some of the overlaps — for instance, overlaps specified by some probability threshold based on the physical data. The question asked by the ICG problem is whether other edges can be properly added to differently colored vertices to form a colored interval graph.

Finding the *Vertex Separation* (VS) of a graph is related to many diverse problems in computer science besides its importance to VLSI layouts. Lengauer showed that progressive black/white pebble game (important to compiler theory) and vertex separation are polynomially reducible to each other [Len81]. Node search number, a variant of search number [Par76], was shown equivalent to the vertex separation plus one by Kirousis and Papadimitriou [KP86]. From [EST94], the search number is informally defined in terms of pebbling to be the minimum number of searchers needed to capture a fugitive who is allowed to move with arbitrary speed about the edges of the graph. For node search number, a searcher blocks all neighboring nodes without the need to move along an incident edge.

Kinnersley in [Kin92] has shown that the pathwidth of a graph is identical to the vertex separation of a graph. The concept of pathwidth has been popularized by the theories of Robertson and Seymour (see for example, [RS85]). Thus, since the gate matrix layout cost, another well-studied VLSI layout problem [KL94, Möh90], equals the pathwidth plus one [FL89], it also equals the vertex separation plus one.

This paper shows that vertex separation is also related to another area besides computer science, namely computational biology.

2 Main Result

In this section, we formally define our fixed-parameter problems k -ICG and k -CVS and then show that they are indeed equivalent.

Definition 1: A *layout* L of a graph $G = (V, E)$ is a one to one mapping $L : V \rightarrow \{1, 2, \dots, |V|\}$.

If the order of a graph $G = (V, E)$ is n , we conveniently write a layout L as a permutation of the vertices (v_1, v_2, \dots, v_n) . For any layout $L = (v_1, v_2, \dots, v_n)$ of G let $V_i = \{v_j \mid j \leq i \text{ and } (v_j, v_k) \in E \text{ for some } k > i\}$ for each $1 \leq i \leq n$.

Definition 2: The *vertex separation* of a graph G with respect to a layout L is $vs(L, G) = \max_{1 \leq i \leq |G|} \{|V_i|\}$. The *vertex separation* of a graph G , denoted by $vs(G)$, is the minimum $vs(L, G)$ over all layouts L of G .

The k -coloring of a graph $G = (V, E)$ is a mapping $color : V \rightarrow \{1, 2, \dots, k\}$. For any subset $V' \subseteq V$, let $Colors(V') = \{color(v) \mid v \in V'\}$.

Definition 3: A *colored layout* L of a k -colored graph $G = (V, E)$ is layout L such that for all $1 \leq i < n$, $color(v_{i+1}) \notin Colors(V_i)$.

Problem 4: COLORED VERTEX SEPARATION (CVS)

Input: A k -colored graph G .

Parameter: k

Question: Is there a colored layout L of G where $vs(L, G) < k$?



Problem 5: INTERVALIZING COLORED GRAPHS (ICG)

Input: A k -colored graph $G = (V, E)$.


Parameter: k

Question: Is there a properly colored supergraph $G' = (V', E')$ of G , $E \subseteq E'$, such that $V = V'$ and G' is an interval graph?

Figure 2 below shows a 3-colored graph with an interval supergraph represented on the left and a colored vertex separation layout given on the right.



(a) Interval supergraph



(b) Linear CVS layout

Figure 1: Illustrating the k -CVS and k -ICG problems.

Theorem 6: For any fixed positive integer parameter k , both k -CVS and k -ICG are identical problems.

Proof. Let $L = (v_1, v_2, \dots, v_n)$ be a colored layout of a k -colored graph $G = (V, E)$. We show how to construct a properly colored supergraph G' that is also an interval graph. For each vertex $v_i \in V$, define the interval:

$$I_{v_i} = [a_{v_i}, b_{v_i}] = [i, \max\{j \mid (v_i, v_j) \in E \vee j = i\} + 0.5]$$

By definition, if edge $(u, v) \in E$ then $I_u \cap I_v \neq \emptyset$. Let $G' = (V, E')$ where $(v_i, v_j) \in E'$ whenever $I_{v_i} \cap I_{v_j} \neq \emptyset$. It suffices to show that $\text{color}(v_i) \neq \text{color}(v_j)$ for each edge (v_i, v_j) in $E' \setminus E$. Without loss of generality, assume $i < j$ so that $b_{v_i} > a_{v_j}$. Again by the definition of I_{v_i} , there exists a vertex v_k such that $j < k$ and $(v_i, v_k) \in E$. This implies that $v_i \in V_{j-1}$. (This also holds for $i = j - 1$.) Now L is a colored layout so $\text{color}(v_j) \notin \text{Colors}(V_{j-1})$. Thus, $\text{color}(v_i) \neq \text{color}(v_j)$. Therefore, G' is a properly-colored intervalizable supergraph of G .

For any k -colored graph $G = (V, E)$ that satisfies ICG, let $\{I_v \mid v \in V\}$ be an interval graph representation of a supergraph $G' = (V, E')$. Let $a_v < b_v$ be the endpoints of the interval $I_v = [a_v, b_v]$ for vertex v . Without loss of generality, assume that $a_u = a_v$ implies $u = v$. Let $L = (v_1, v_2, \dots, v_n)$ be the unique layout such that $i < j$ if and only if $a_{v_i} < a_{v_j}$. We claim that L is a colored layout of G' . To prove this claim, we show that $\text{color}(v_{i+1}) \notin \text{Colors}(V_i)$, $1 \leq i < n$. If there exists a vertex $u \in V_i$ such that $\text{color}(u) = \text{color}(v_{i+1})$ then by definition of V_i vertex u must be adjacent to a vertex v_j for some $j > i$. Further, $j > i + 1$ since (u, v_{i+1}) would not be a properly colored edge. Since $a_u < a_{v_j}$ and $(u, v_j) \in G'$, we must have $b_u > a_{v_j}$ in order to form an overlap. However, $b_u < a_{v_{i+1}} < a_{v_j}$. This is a contradiction to $j > i$. So $u \notin V_i$ if $\text{color}(u) = \text{color}(v_{i+1})$. Thus L is a colored layout.

Now suppose that for some $r < s$ there exist two vertices v_r and v_s in V_i with the same color. Since $v_r \in V_i$, there exists a vertex v_j with $j > i$ such that $(v_r, v_j) \in E'$. This implies $v_r \in V_{s-1}$. But this implication contradicts the fact $\text{color}(v_s) \notin \text{Colors}(V_{s-1})$. So $\text{color}(v_r) \neq \text{color}(v_s)$. Hence any set $V_i \cup \{v_{i+1}\}$ has at most one vertex of each color. Since there are k colors, each V_i must have $k - 1$ or fewer vertices. Thus, $vs(L, G) \leq vs(L, G') < k$. \square

3 Final Comments

Recently, the corresponding general problem of intervalizing a colored graph to an *unit* interval graph has been shown to be NP-hard (and fix-parameter hard for W[1]) by Kaplan and Shamir [KS93] (also see [GGKS93, KST94]). The good news from Kaplan and Shamir's paper is that for each fixed-parameter k (i.e., k colors) this unit interval problem has a polynomial-time algorithm. It is still unknown if a polynomial-time algorithm exists for k -ICG, or equivalently k -CVS. It is our hope that understanding the original polynomial-time algorithm for the non-colored vertex separation problem may be of some use [EST87].

A related approach for finding a practical k -ICG algorithm is based on the easily seen fact that all colored graphs in the k -ICG family have pathwidth less than or equal to $k - 1$. The usual polynomial-time algorithms for these types of bounded pathwidth families are constructed as follows: First find a path-decomposition of width $k - 1$ and then use some type of dynamic programming approach on the graph using its decomposition. The tricky part for k -ICG is that k -ICG is not finite-state (i.e., not representable by linear/tree automaton) for fixed k and hence conventional algorithmic techniques can not be used [FWH93].

However, just because k -ICG is not finite-state, we should not avoid altogether the pathwidth structure of the graphs in this family. For small k , Bodlaender and Kloks recently developed an algorithm for recognizing and finding path-decompositions of width k in linear time (see [Bod93, BK91, BK93] and [CDF]).

References

- [BK91] Hans L. Bodlaender and Ton Kloks. Better algorithms for pathwidth and treewidth of graphs. In *Proceedings of the 18th International Colloquium on Automata, Languages and Programming*, Lecture Notes in Computer Science, pages 544–555. Springer Verlag, 1991.
- [BK93] Hans L. Bodlaender and Ton Kloks. Efficient and constructive algorithms for the pathwidth and treewidth of graphs, 1993. preprint.
- [Bod93] Hans L. Bodlaender. A linear time algorithm for finding tree-decompositions of small treewidth. In *Proceedings of the 25th Annual ACM Symposium on Theory of Computing*. ACM Press, 1993.

- [CDF] Kevin Cattell, Michael J. Dinneen, and Michael R. Fellows. A simple linear-time algorithm for finding path-decompositions of small width. Submitted to *Information Processing Letters*.
- [EST87] J. Ellis, I. H. Sudborough, and J. Turner. Graph separation and search number. Report DCS-66-IR, Dept. of Computer Science, University of Victoria, P.O. Box 3055, Victoria, B.C. Canada V8W 3P6, August 1987.
- [EST94] J. Ellis, I. H. Sudborough, and J. Turner. The vertex separation and search number of a graph. *Information and Computation*, 113(1):50–79, 1994.
- [FWH93] Michael R. Fellows, Michael T. Hallett, and H. Todd Wareham. DNA physical mapping: Three ways difficult. In T. Lengauer, editor, *Proceedings of European Symposium on Algorithms (ESA '93)*, volume 726 of *Lecture Notes in Computer Science*, pages 157–168. Springer-Verlag, Berlin, 1993.
- [FL89] Michael R. Fellows and Michael A. Langston. On search, descision and the efficiency of polynomial-time algorithms. In *Proceedings of the 21th Annual ACM Symposium on Theory of Computing*, pages 501–512, 1989. to appear *Journal of Computer and System Sciences*.
- [GGKS93] Paul W. Goldberg, Martin C. Golumbic, Haim Kaplan, and Ron Shamir. Four strikes against physical mapping of DNA. Technical report 287/93, The Moise and Frida Eskenasy Insitute of Computer Sciences, Tel Aviv University, December 1993.
- [GKS93] Martin C. Golumbic, Haim Kaplan, and Ron Shamir. On the complexity of DNA physical mapping. Technical report 271/93, The Moise and Frida Eskenasy Insitute of Computer Sciences, Tel Aviv University, January 1993. to appear *Advances in Applied Mathematics*.
- [Kin92] Nancy G. Kinnersley. The vertex separation number of a graph equals its path-width. *Information Processing Letters*, 42:345–350, 1992.
- [KL94] Nancy G. Kinnersley and Michael A. Langston. Obstruction set isolation for the Gate Matrix Layout problem. *Discrete Applied Mathematics*, 54:169–213, 1994.
- [KP86] L. M. Kirousis and C. H. Papadimitriou. Searching and pebbling. *Theoretical Computer Science*, 47:205–216, 1986.
- [KS93] Haim Kaplan and Ron Shamir. Pathwidth, bandwidth and completion problems to proper interval graphs. Technical report 285/93, The Moise

and Frida Eskenasy Institute of Computer Sciences, Tel Aviv University, November 1993.

- [KST94] Haim Kaplan, Ron Shamir, and Robert E. Tarjan. Tractability of parameterized completion problems on chordal and interval graphs: minimum fill-in and physical mapping. In *Proceedings of the 35th Annual IEEE Conference on the Foundations of Computer Science*, 1994.
- [Len81] T. Lengauer. Black-white pebbles and graph separation. *Acta Informatica*, 16:465–475, 1981.
- [Mir94] B.G. Mirkin. *Graphs and Genes*. Springer-Verlag, 1994. (translated from Russian by H.L. Beus.)
- [Möh90] Rolf H. Möhring. Graph problems related to gate matrix layout and PLA folding. In G. Tinhofer, E. Mayr, H. Noltemeier, and M. Syslo, editors, *Computational Graph Theory*, pages 17–51. Springer-Verlag, 1990.
- [Par76] T. D. Parsons. Pursuit-evasion in a graph. In Y. Alavi and D. R. Lick, editors, *Theory and applications of graphs*, pages 426–441. Springer-Verlag, 1976.
- [RS85] Neil Robertson and Paul D. Seymour. Graph Minors – A Survey. In *Surveys in Combinatorics*, volume 103, pages 153–171. Cambridge University Press, 1985.